


Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 16 Core 50/125 LSOH Cca Black

Item Code: 204-116

excel
without compromise.



✕ Water resistant & UV resistant

✕ Duct grade - rodent resistant

✕ Sequentially metre marked

✕ Cut to length service

✕ Euroclass Cca-s1a-d0-a1

✕ 25 year system warranty

✕ CIBSE TM65 Embodied Carbon: 0.306 kg CO2e

Product Overview

Enbeam OM4 multimode fibre optic cable tight buffered 16 core 50/125 G.657.A2 bend insensitive LSOH Cca black, part of a huge range of OM4 fibre optic cables fully stocked at Mayflex. Excel OM4 50/125 µm tight buffered optical fibre cables have been designed specifically for internal and external applications. The cables are constructed around an E-Glass strength member containing up to 24 colour coded 900 µm tight buffered fibres, covered with a flame retardant, low smoke zero halogen, outer sheath.

These compact, lightweight cables are extremely flexible and are quick and easy to install.

Product Specifications

| Feature | Values |
|--|---------------------------------|
| Number of Cores | 16 |
| Type of tube | Tight |
| Fibre type | Multi mode 50/125 |
| Category | OM4 |
| Rodent resistant | yes |
| Outer sheath material | Copolymer, thermoplastic (LSOH) |
| Outer sheath colour | Black |
| Flame retardant according to IEC 60332-1-2 | yes |


Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 16 Core 50/125 LSOH Cca Black

Item Code: 204-116




| | |
|---|------|
| Low smoke (acc. IEC 61034-2) | yes |
| Reaction-to-fire class according to EN 13501-6 | Cca |
| Smoke development class according to EN 13501-6 | s1a |
| Euro class flaming droplets/particles according to EN 13501-6 | d0 |
| Euro class acidity according to EN 13501-6 | a1 |
| Outer diameter approx. | 8 mm |

Cross-section diagram



Colour coding (as per TIA-598-C)



For fibre core counts above 12 the colour sequence is repeated with the addition of a mark every 70mm for cores 13-24 and two marks for 25-36 and so on.

Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 16 Core 50/125 LSOH Cca Black

Item Code: 204-116



Cable specifications

| Features | | Values |
|----------------------|--|--|
| Tight Buffered Fiber | Material | LSZH |
| Diameter | 0.85±0.05mm | |
| Strength Member | Material | E-glass Yarns |
| Sheath | Material | LSZH |
| Thickness | Typical 1.1mm | |
| Cable Diameter | Diameter (±0.3mm) | Approx. 6.5mm(4 cores), 6.6mm(6 cores), 7.0mm(8 cores) |
| | 7.0mm(12 cores), 8.0mm(16 cores), 8.5mm(24 cores) | |
| Cable Weight | | Approx. 34kg/km(4 cores), 36kg/km (6 cores), 39kg/km (8 cores) |
| | 43kg/km (12 cores), 52kg/km (16 cores), 63kg/km (24 cores) | |
| Tensile Strength | Installation | 800N(≤12 cores),1100N(>12 cores) |
| Working | 400N(≤12 cores),550N(>12 cores) | |
| Cable Impact | | 1J |
| Crush Resistance | Installation | 1000N |
| Working | 300N | |
| Torsion | | Change of Attenuation ≤ 0.10dB (SM fiber) |
| | Change of Attenuation ≤ 0.30dB (MM fiber) | |
| Temperature Range | Installation | -30°C to +60°C |
| Working | -30°C to +60°C | |
| Storage | -40°C to +60°C | |
| Bending Radius | Short term | 20 x Diameter |
| Long term | 10 x Diameter | |

Fibre specifications

| Features | | Values |
|--|----------|--------------------------------------|
| Attenuation | @850 nm | 3.5dB/km (maximum) |
| | @1300 nm | 1.5dB/km (maximum) |
| For any 1000 metre | | Max. 0.1dB/km |
| Overfilled modal bandwidth | @850 nm | ≥3500 MHz/km |
| | @1300 nm | ≥500 MHz/km |
| Effective modal bandwidth | @850 nm | ≥4700 MHz/km |
| Core diameter | | 50±2.5 µm |
| Core non-circularity | | ≤5% |
| Cladding diameter | | 125.0±1.0 µm |
| Cladding non-circularity | | ≤1% |
| Core - cladding concentricity error | | ≤1.5 µm |
| Primary coating diameter - uncolored | | 242±7 µm |
| Primary coating diameter - colored | | 250±15 µm |
| Primary coating non-circularity | | ≤5% |
| Primary coating - cladding concentricity error | | ≤12 µm |
| Group index of refraction | @850 nm | 1.482 |
| | @1300 nm | 1.477 |
| Proof stress level | | ≥0.7(≈1% strain) Gpa |
| Typical average strip force | | 1.7 N |
| Strip force (peak) | | 1.3 ≤ F _{peak.strip} ≤8.9 N |
| Numerical aperture | | 0.200 ± 0.015 |
| Fiber bending loss R-7.5 mm | @850 nm | ≤0.2dB |
| | @1300 nm | ≤0.5dB |
| Fiber bending loss R-15 mm | @850 nm | ≤0.1dB |
| | @1300 nm | ≤0.3dB |

Standards

| Applicable standard | Subject |
|---------------------------|--|
| IEC 60794-2-20:2013 | Optical fibre cables - Part 2-20: Indoor cables - Family specification for multi-fibre optical cables |
| IEC 60332-1-2:2004 | Tests on electric and optical fibre cables under fire conditions. Test for vertical flame propagation for a single insulated wire or cable. Procedure for 1 kW pre-mixed flame |
| IEC 60754-2:2011 | Test on gases evolved during combustion of materials from cables - Part 2: Determination of acidity (by pH measurement) and conductivity |
| IEC 61034-2:2005+A1:2013 | Measurement of smoke density of cables burning under defined conditions - Part 2: Test procedure and requirements |
| IEC 60793-1-1:2022 | Optical fibres - Part 1-1: Measurement methods and test procedures - General and guidance |
| IEC 60793-2-10:2017 | Sectional specification for A1 multimode fibres |
| IEC 60793-1-20:2014 | Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry |
| IEC 60793-1-21:2001 | Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry |
| IEC 60793-1-22:2001 | Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement |
| IEC 60793-1-30:2010 | Optical fibres - Part 1-30: Measurement methods and test procedures - Fibre proof test |
| IEC 60793-1-41:2010 | Optical fibres - Part 1-41: Measurement methods and test procedures - Bandwidth |
| ITU G.651.1 | Characteristics of a 50/125 µm multimode graded index optical fibre cable for the optical access network |
| EN 50173-1:2018 | Information technology. Generic cabling systems - General requirements |
| EN 50575: 2014 + A1: 2016 | Power, control and communication cables — Cables for general applications in construction works subject to reaction to fire requirements |
| EN 50399:2011+A1:2016 | Common test methods for cables under fire conditions. Heat release and smoke production measurement on cables during flame spread test. Test apparatus, procedures, results |
| ISO/IEC 11801-1:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements |
| ANSI/TIA 568-3.D | Optical Fiber Cabling and Components Standard |

Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 16 Core 50/125 LSOH Cca Black

Item Code: 204-116



| | |
|---|---|
| ANSI/TIA/EIA 598-D | Optical Fibre Cable Colour Coding |
| RoHS-II/III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Part Number Table

| Part Number | Description |
|-------------|---|
| 204-104 | Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 4 Core 50/125 LSOH Cca Black |
| 204-106 | Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 6 Core 50/125 LSOH Cca Black |
| 204-108 | Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 8 Core 50/125 LSOH Cca Black |
| 204-112 | Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 12 Core 50/125 LSOH Cca Black |
| 204-116 | Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 16 Core 50/125 LSOH Cca Black |
| 204-124 | Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 24 Core 50/125 LSOH Cca Black |
| 204-124-RD | Excel Enbeam OM4 Multimode Fibre Optic Cable Tight Buffered 24 Core 50/125 LSOH Cca Red |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.