Excel Plus Flat Shutter For Keystone Jack 25 x 50 mm White

Item Code: 100-014







| X Excel plus |
|---|
| X Choice of colours |
| X 25x50 mm flat shutter |
| X Snap fit |
| X Compatible with a range of faceplates |
| X Labelling field |
| X CIBSE TM65 Embodied Carbon: 0.123 kg CO2e |

Product Overview

A range of mounting options are available for the Excel Keystone Tool-less Jacks that allow them to be installed in a number of situations. This flexibility results in the ability to have the same jacks terminating the cable in the patch panel and at the outlet.

These shutters are available in the Euro Module size of 25×50 mm. They come with windows and labels fitted to complete the installation. Blanking plates available in half and single size are available in the Euro Module size to configure single or triple outlets.

Product Specifications


| Feature | Values |
|-------------------|-------------------------------|
| Application | Mounting cover data connector |
| Material | Plastic |
| Colour | White |
| RAL-number (akin) | 9016 |
| Type of fastening | Engage (snap) |
| Width of device | 25 mm |
| Height of device | 50 mm |

Excel Plus Flat Shutter For Keystone Jack 25 x 50 mm White

Item Code: 100-014



Product drawing



Standards

| Applicable standard | Detail |
|-----------------------------|---|
| BSEN 60670-1:2005 + A1:2013 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations general requirements |
| BSEN 61340-5-1:2007 | Protection of electronic devices from electrostatic phenomena. General requirements apply to activities that: manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM) |

Excel Plus Flat Shutter For Keystone Jack 25 x 50 mm White

Item Code: 100-014



| BSEN 60529:1992+A2:2013 | Degrees of Protection provided by Enclosures (IP CODE) |
|--|---|
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Part Number Table

| Part Number | Description |
|-------------|--|
| 100-014 | Excel Plus Flat Shutter For Keystone Jack 25 x 50 mm White |
| 100-014-BK | Excel Plus Flat Shutter For Keystone Jack 25 x 50 mm Black |
| 100-018 | Excel Flat Shutter LJ6C for Keystone Jack White |
| 100-018-BK | Excel Flat Shutter LJ6C for Keystone Jack Black |
| 100-020 | Excel Angled Shutter For Keystone Jack 25 x 50 mm White |
| 100-020-BK | Excel Angled Shutter For Keystone Jack 25 x 50 mm Black |
| 100-022 | Excel Angled Shutter LJ6C for Keystone Jack White |
| 100-022-BK | Excel Angled Shutter LJ6C for Keystone Jack Black |
| 100-022-BU | Excel Angled Shutter LJ6C for Keystone Jack Blue |
| 100-022-GN | Excel Angled Shutter LJ6C for Keystone Jack Green |
| 100-022-VT | Excel Angled Shutter LJ6C for Keystone Jack Violet |
| 100-175 | Excel Euromod Angled Shutter For Keystone Jack White |
| 100-175-BK | Excel Euromod Angled Shutter For Keystone Jack Black |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.