

Excel Cat6A Solid Core Screened Plug (25-Pack)

Item Code: 100-134

excel
without compromise.



Use with crimp tool p/n 100-136

Category 6A performance

Compatible with U/FTP & F/FTP

High Performance

Switch and harness links

Consolidation point cables

CIBSE TM65 Embodied Carbon: 0.868 kg CO2e

Product Overview

This Solid Core Screened RJ-45 Plug is a high performing product used in the creation of Switch Links and Harness Leads. The plugs are specifically designed for use with Excel Category 6A Screened Cable (F/FTP and U/FTP versions).

Using solid core cable for the creation of the Harness/Switch Links improves the overall channel performance by maintaining the consistency of cable construction. These plugs are the same as used to manufacture the Excel Category 6A Solid Core Screened Harness / Switch Link Leads. Additionally these RJ-45 plugs may be used in the manufacture of Consolidation Point cables.

Product Specifications

Feature	Values
Model	Plug (Male)
Type of connector	RJ45 8(8)
Shielded	yes
Category	6A (IEC)
Connection type	Crimp
Requires termination tool	yes
Suitable for round cable	yes

Excel Cat6A Solid Core Screened Plug (25-Pack)




Item Code: 100-134

Suitable for solid cores yes

Additional specifications

Features	Values
Plug Body Construction	Clear Polycarbonate, UL 94-V0
Load Bar Construction	Clear Polycarbonate, UL 94-V0
Wire Aligner Construction	Clear Polycarbonate, UL 94-V0
Boot Construction	Black Polycarbonate, UL 94-V0
Contacts	Copper Alloy, Selective Gold Plating
Shield	Copper Alloy, Nickel Plate
Plug Width	12.0 mm
Plug Height (without latch)	6.71 mm
Length Including Boot	44.4 mm

Product drawing



Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements

Excel Cat6A Solid Core Screened Plug (25-Pack)



Item Code: 100-134

ANSI/TIA 568-2.D

Balanced Twisted-Pair Telecommunications Cabling and Components Standards

UL-94-V-0

Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.

Directive 2008/98/EC (WFD)

Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).

ECHA SCIP Database

Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.

Regulation (EU) 2019/1021 (POPs)

EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).

UK SI 2012 No. 3032

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Number Table

Part Number	Description
100-134	Excel Cat6A Solid Core Screened Plug (25-Pack)

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.