Excel Cat6A (FTP) Screened RJ45 Euro Module White (12-Pack)

Item Code: 100-137-12









- X Low profile
- X Fits 27 mm back box when used with bevelled faceplate
- X Built in slide label system
- X CIBSE TM65 Embodied Carbon: 4.981 kg CO2e

Product Overview

Excel Category 6A Screened RJ45 Modules comply with the EIA TIA Standard for Category 6A. Each shuttered module is supplied with a slide label field and space above.

This allows for the use of self adhesive labels or further labelling if required. Termination can be made using Krone tooling. A cable tie base is positioned to the side of the IDC blocks to relieve cable stress.

Product Specifications

Feature	Values
Surface mounted	yes
Flush-mounted installation	yes
Floor box/sub-floor mounted	yes
Type of fastening	Engage (snap)
Type of connector	RJ45 8(8)
Category	6A (IEC)
Colour	White
RAL-number	9016
Connection type	LSA
With label space	yes
Outlet direction	Straight
Colour coding	yes
Width of device	25 mm

Excel Cat6A (FTP) Screened RJ45 Euro Module White (12-Pack)

Item Code: 100-137-12





Height of device	49.9 mm
Depth of device	19.4 mm


Additional specifications


Features	Values
RJ45 Jack minimum life	700 insertion
Contact Material	50 Micro-inch Gold Plated contact pins
Module Housing:	ABS 80% + AS 20% High-Impact UL94HB
Jack Housing:	PBT High-Impact UL94V-0 Thermoplastic, 15% Glass Fibre Filled
IDC Contacts	Suitable for LSA compatible tool
IDC Contacts life	Maximum 100 reterminations
IDC Compatibility	22 to 26AWG Solid / 24AWG Stranded wire
Operating Temperature	-10 °C to + 60 °C
Storage Temperature	-40 °C to + 70 °C
Panel Material	SPCC

Product drawing









Excel Cat6A (FTP) Screened RJ45 Euro Module White (12-Pack)

Item Code: 100-137-12



Included accessories

Accessories	Quantity
Nylon Cable Tie	1

Standards

Applicable standard	Detail
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
ANSI/TIA 568-2.D	Balanced Twisted-Pair Telecommunications Cabling and Components Standards
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
IEC 60603-7-51:2010	Connectors for electronic equipment - Part 7-51: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 500 MHz
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
EN 50173-2:2007 + A1:2010	Information technology. Generic cabling systems - Office premises
ANSI/EIA-310-E	Electronic Industries Association standard for horizontal spacing, vertical hole spacing, rack opening and front panel width
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

Part Number	Description
100-137	Excel Category 6A Screened Module White 50 x 25mm
100-137-12	Excel Cat6A (FTP) Screened RJ45 Euro Module White (12-Pack)

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.