

Excel Cat6 FTP Screened Keystone Jack Toolless Silver (Box 24)

Item Code: 100-210-24

excel
without compromise.



- ✕ High quality die cast housing
- ✕ Toolless termination design
- ✕ Suitable for patch panel and faceplate mounting
- ✕ Category 6 ISO11801 compliant
- ✕ 360 degree Shielding protects against alien crosstalk
- ✕ Suitable for foil and braided screen cables

Product Overview

100-210-24 Excel Cat6 FTP Screened Keystone Jack Toolless Silver Box 24, available as part of our range of excel Cat6 keystone jacks for RJ45 network connections. A toolless termination RJ45 socket suitable for mounting in a range of housings from patch panels, faceplates and shutters to sub-floor boxes and distribution enclosures. The socket is manufactured in a high quality zinc die cast housing, with butterfly style Toolless IDC termination points.

Once the pairs are arranged in the cable management cap and trimmed it is a simple case of closing the 'butterfly' together to complete the termination.

Third party verification by Delta assures this high performance jack exceeds the requirements of the ISO, EN & TIA component standards.

Product Specifications

Feature	Values
Model	Jack
Type of connector	RJ45 8(8)
Shielded	yes
Category	6
Requires termination tool	no
Suitable for round cable	yes


Excel Cat6 FTP Screened Keystone Jack Toolless Silver (Box 24)

Item Code: 100-210-24

excel
without compromise.

Suitable for flat cable	no
Suitable for solid core	yes
Colour	Silver
AWG-range	22...26

Product drawing



Included accessories

Accessories	Singles	24-packs
Nylon cable tie	1	24
Wiring cap	1	24

Excel Cat6 FTP Screened Keystone Jack Toolless Silver (Box 24)

Item Code: 100-210-24



Standards

Applicable standard	Detail
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
ANSI/TIA 568-2.D	Balanced Twisted-Pair Telecommunications Cabling and Components Standards
UL-94-V-0	Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

Part Number	Description
100-210	Excel Cat6 FTP Screened Keystone Jack Toolless Silver
100-210-24	Excel Cat6 FTP Screened Keystone Jack Toolless Silver (Box 24)

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.