# Excel Office Angled Shutter For Keystone Jack 25 x 50 mm Grey

Item Code: 100-280-GE







- ✗ Office range
- imes Available in white/grey
- X Angled design optimises space whilst ensuring minimal stress to installed cables
- X 25x50 mm angled shutter
- Compatible with a range of faceplates
- X Labelling field
- X CIBSE TM65 Embodied Carbon: 0.120 kg CO2e

### **Product Overview**

A range of mounting options are available for the Excel Keystone Tool-less Jacks that allow them to be installed in a number of situations. This flexibility results in the ability to have the same jacks terminating the cable in the patch panel and at the outlet.

These shutters are available in the Euro Module size of 25 x 50 mm. They come with windows and labels fitted to complete the installation. Blanking plates available in half and single size are available in the Euro Module size to configure single or triple outlets.

## **Product Specifications**


Feature	Values
Application	Mounting cover data connector
Material	Plastic
Colour	Grey
RAL-number (akin)	PANTONE425C
Type of fastening	Engage (snap)
Width of device	25 mm
Height of device	50 mm


# Excel Office Angled Shutter For Keystone Jack 25 x 50 mm Grey


Item Code: 100-280-GE




# **Product drawing**























## **Standards**

Applicable standard	Detail
BSEN 60670-1:2005 + A1:2013	Boxes and enclosures for electrical accessories for household and similar fixed electrical installations general requirements
BSEN 61340-5-1:2007	Protection of electronic devices from electrostatic phenomena. General requirements apply to activities that: manufacture, process, assemble, install, package, label,

# Excel Office Angled Shutter For Keystone Jack 25 x 50 mm Grey

Item Code: 100-280-GE



	service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM).
BSEN 60529:1992+A2:2013	Degrees of Protection provided by Enclosures ( IP CODE )
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

### **Part Number Table**

Part Number	Description
100-280	Excel Office Angled Shutter For Keystone Jack 25 x 50 mm White
100-280-GE	Excel Office Angled Shutter For Keystone Jack 25 x 50 mm Grey

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.