

Excel Flat Shutter for Keystone Jack 45 x45 mm 1 Port

Part Code: 100-289

sales@excel-networking.com
excel-networking.com



Main Features

- / Accepts all Excel Keystone Jacks
- / Available in 1 & 2 Port versions
- / Directly mount in trunking or faceplate
- / Flat shape

Product Overview

The Excel Flat 45 x 45 mm Keystone Shutters are available in 1 and 2 port versions. Each shutter will support all of the Excel Keystone Jacks enabling screened and unscreened Category 5e, 6 and 6A terminations to be presented in a uniform fashion.

Fixing clips are positioned on the rear of the shutter to allow the fitment to either faceplates or trunking. Each port is protected with a curved, spring loaded shutter in matching material. The shutter comes complete with paper label and fitted clear window.

Product Specifications


Excel Flat Shutter for Keystone Jack 45 x45 mm 1 Port

Part Code: 100-289

sales@excel-networking.com
excel-networking.com

| Feature | Values |
|-------------------|-------------------------------|
| Application | Mounting cover data connector |
| Material | Plastic |
| Colour | White |
| RAL-number (akin) | 9003 |
| Type of fastening | Engage (snap) |
| Width of device | 45 mm |
| Height of device | 45 mm |

Product drawing



Standards

| Applicable standard | Detail |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BSEN 60670-1:2005 + A1:2013 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations general requirements |
| BSEN 61340-5-1:2007 | Protection of electronic devices from electrostatic phenomena. General requirements apply to activities that: manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM). |
| BSEN 60529:1992+A2:2013 | Degrees of Protection provided by Enclosures (IP CODE) |
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

Excel Flat Shutter for Keystone Jack 45 x45 mm 1 Port

Part Code: 100-289

sales@excel-networking.com
excel-networking.com

Part Code Table

| Part Code | Description |
|-----------|--------------------------------------------------------|
| 100-289 | Excel Flat Shutter for Keystone Jack 45 x45 mm 1 Port |
| 100-290 | Excel Flat Shutter for Keystone Jack 45 x 45 mm 2 Port |