Excel Cat6 (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang Bevelled Plate

excel
without compromise.

Part Code: 100-432

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.002 kg CO2e

25 YEAR WARRANTY excel

CAT6

Main Features

/ Category 6

/ LSA compatible IDC

/ Supports Gigabit Ethernet

/ High Density Design

/ Individual port slide labelling system

/ 25 Year system warranty

Product Overview

Excel Category 6 3 in 1 sets (3 shuttered RJ45 modules complete with bevelled single gang faceplates) offer the ultimate in flexibility, space utilisation and ease of installation.

The unique design means that you only load shuttered outlets as required, any capacity within the plate which is required for a later date is simply blanked off, providing a neat and easy to use completed installation. Individual port labelling is also quick and easy with standard Excel outlet slide in fields incorporated into the design.

Page 1/5

This data sheet was generated at 4:27pm 26th May 2026 and is subject to change at any time.

Product Specifications

Feature	Values
Surface mounted	yes
Flush-mounted installation	yes
Type of fastening	Screwing
Type of connector	RJ45 8(8)
With outlets / modules	yes
Suitable for number of outlets / modules	3
Category	6
Colour	White
RAL-number	9016
Connection type	LSA
Shielded housing	no
With label space	yes
Colour coding	yes
Width of device	85 mm
Height of device	85 mm

Excel Cat6 (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang Bevelled Plate

excel
without compromise.

Part Code: 100-432

sales@excel-networking.com
excel-networking.com

Product drawing

Standards

Applicable standard	Detail
ISO/IEC 11801:2011 (Ed 2.2)	Information technology - Generic cabling for customer premises
IEC 61156-5:2012 (Ed 2.1)	Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz -

	Horizontal floor wiring - Sectional specification
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
EN 50173-2:2007 including amendment A1:2010	Information technology. Generic cabling systems - Office premises
ANSI/TIA 568-C:2009	Balanced Twisted-Pair Telecommunications Cabling and Components Standards
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Code Table

Part Code	Description
100-411	**Excel Cat5e (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang**

This data sheet was generated at 4:27pm 26th May 2026 and is subject to change at any time.

	Bevelled Plate
100-432	Excel Cat6 (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang Bevelled Plate