


# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Green

excel  
without compromise.

Part Code: 100-541

sales@excel-networking.com  
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.712 kg CO2e



## Main Features

- / Cat6A compliant
- / Suitable for 10 Gigabit ethernet application
- / Blade style 'slimline' moulded strain relief boot with clip protector
- / Specified to 500 MHz
- / EC verified
- / LSOH outer sheath

## Product Overview

Excel Category 6A (Augmented Category 6) patch leads consist of 4 twisted pairs of 26 AWG stranded copper wires. These pairs are then cabled together, with different lay lengths to ensure optimum performance.

Staggered pin RJ45 plugs terminate the cable, and each lead is fitted with colour coded slimline moulded boots, suitable for use in high density router or switch blades.

## Product Specifications

# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Green

Part Code: 100-541

sales@excel-networking.com  
excel-networking.com

| Feature                        | Values            |
|--------------------------------|-------------------|
| Cable type                     | <b>U/UTP</b>      |
| Category                       | <b>6A (IEC)</b>   |
| Length                         | <b>3 m</b>        |
| Type of connector connection 1 | <b>RJ45 8(8)</b>  |
| Type of connector connection 2 | <b>RJ45 8(8)</b>  |
| Outer sheath colour            | <b>Green</b>      |
| Strain relief boot             | <b>Moulded-on</b> |
| Lockable                       | <b>no</b>         |
| Strain relief boot colour      | <b>Green</b>      |
| Flame retardant version        | <b>yes</b>        |
| Cable construction             | <b>1x4</b>        |
| AWG-size                       | <b>26</b>         |
| Pin assignment                 | <b>1:1</b>        |

# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Green

Part Code: 100-541

sales@excel-networking.com  
excel-networking.com

## Product drawing



## Standards

| Applicable standard            | Detail   |
|--------------------------------|--|
| ISO/IEC 11801-1:2017           | Information technology - Generic cabling for customer premises: Part 1 General Requirements  |
| EN 50173-1:2018                | Information technology. Generic cabling systems - General requirements   |
| ANSI/TIA 568-2.D               | Balanced Twisted-Pair Telecommunications Cabling and Components Standards  |
| IEC 61156-5:2009+AMD1:2012 CSV | Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification |
| IEC 60332-1-2:2004             | Tests on electric and optical fibre cables under fire conditions. Test for vertical flame propagation for a single insulated wire or cable. Procedure for 1 kW pre-mixed flame                                     |
| IEC 61034-2:2005+A1:2013       | Measurement of smoke density of cables burning under   |

# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Green

Part Code: 100-541

sales@excel-networking.com  
excel-networking.com

|                                    |  |
|------------------------------------|--|
|                                    | defined conditions – Part 2: Test procedure and requirements   |
| Directive 2011/65/EU (RoHS II)     | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).   |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.   |
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).   |
| ECHA SCIP Database                 | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.  |
| Regulation (EU) 2019/1021 (POPs)   | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).   |
| UK SI 2012 No. 3032                | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Code Table

| Part Code | Description   |
|-----------|---|
| 100-500   | <b>Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Grey</b> |
| 100-501   | <b>Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Grey</b> |
| 100-502   | <b>Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Grey</b> |
| 100-503   | <b>Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Grey</b> |
| 100-509   | <b>Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Blue</b> |

# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Green

Part Code: 100-541

sales@excel-networking.com  
excel-networking.com

|         |  |
|---------|--|
| 100-510 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Blue   |
| 100-511 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Blue   |
| 100-512 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Blue   |
| 100-519 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Red    |
| 100-520 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Red    |
| 100-521 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Red    |
| 100-522 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Red    |
| 100-529 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Yellow |
| 100-530 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Yellow |
| 100-531 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Yellow |
| 100-532 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Yellow |
| 100-539 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Green  |
| 100-540 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Green  |
| 100-541 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Green  |
| 100-542 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Green  |