

Excel Single Gang 4-Port Keystone Flat Faceplate

excel
without compromise.

Item Code: 100-705



4 x RJ45 Keystone Jack Ports

Spring Loaded Shutters

Designated Label Holders

Supplied with Fixing Screws

Product Overview

This Excel Faceplate Range is suitable for the Excel Category 5e, 6 and 6A Keystone jacks including the toolless jacks. The outlet allows up to 4 Keystone jacks to be installed into an 86mm x 86mm footprint. Each outlet has a designated labelling field for clear identification.

The spring loaded shutters over each port protect from dust and foreign objects. This gives a higher port count than traditional outlets and is ideal for floor or wall mounted applications.

Product Specifications


| Feature | Values |
|---------------------------------|----------------|
| Number of units | 4 |
| Number of units horizontal | 2 |
| Number of units vertical | 2 |
| Flush-mounted installation | yes |
| Suitable for floor box | yes |
| Label space/information surface | yes |
| Material | Thermoplastic |
| Colour | White |
| RAL-number (akin) | 9003 |
| Type of fastening | Screw mounting |
| Width | 86 mm |
| Height | 86 mm |

Item Code: 100-705

Additional specifications

| Features | Values |
|-----------------------|-------------------|
| Material | ABS UL94-V0 |
| Operating Temperature | -10 °C to + 60 °C |
| Storage Temperature | -40 °C to + 70 °C |

Product drawing



Standards

| Applicable standard | Detail |
|------------------------------|--|
| BS EN 60670-1:2005 + A1:2013 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations general requirements |
| BS EN 61340-5-1:2007 | Protection of electronic devices from electrostatic phenomena. General requirements apply to activities that: manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM). |
| BS EN 60529:1992+A2:2013 | Degrees of Protection provided by Enclosures (IP CODE) |

Excel Single Gang 4-Port Keystone Flat Faceplate



Item Code: 100-705

| | |
|------------------------------------|--|
| UL-94-V-0 | Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. No flaming drips are allowed. |
| EN 50173-1:2018 | Information technology. Generic cabling systems - General requirements |
| EN 50173-2:2007 + A1:2010 | Information technology. Generic cabling systems - Office premises |
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

Part Number Table

| Part Number | Description |
|-------------|--|
| 100-705 | Excel Single Gang 4-Port Keystone Flat Faceplate |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.