

# Excel Unloaded 24 Port Screened Keystone Patch Panel Frame 1U Black

Item Code: 100-755

**excel**  
without compromise.



- ✗ Earthing kit, cage nuts and mini cable ties included
- ✗ Fast fit rear cable management
- ✗ For Screened and Unscreened systems
- ✗ 25 Year system warranty
- ✗ CIBSE TM65 Embodied Carbon: 4.231 kg CO<sub>2</sub>e


## Product Overview

Excel keystone jack patch panel frames are available for mounting on the range of screened and unscreened Excel toolless keystone jacks. A rear management tray with purposely designed cable tie positions is supplied with each panel, and is fitted without the need for any tools or fixings by simply snapping it into place.

## Product Specifications

Feature	Values
Suitable for number of outlets / modules	24
Shielded	yes
Category	Keystone jack dependent
Number of rack units (RU)	1
Colour	Black
Mounting method	482.6 mm (19 inch) mounting
Height	44 mm
Width	482.5 mm
Depth	155 mm

### Product drawing



### Additional specifications

Features	Values
Operating Temperature	-10 °C to + 60 °C
Storage Temperature	-40 °C to + 68 °C
Panel Material (front)	Cold rolled steel
Panel Material (Rear)	Cold rolled steel with nickel undercoat

### Included accessories

Accessories	Quantity
Nylon Cable Tie	8
Rear Cable Manager	1
Cage Nuts fixings	4

# Excel Unloaded 24 Port Screened Keystone Patch Panel Frame 1U Black

Item Code: 100-755



## Standards

Applicable standard	Detail
ANSI/TIA 568-2.D	Balanced Twisted-Pair Telecommunications Cabling and Components Standards
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
IEC 60603-7-41:2010	Connectors for electronic equipment - Part 7-41: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 500 MHz
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
EN 50173-2:2007 + A1:2010	Information technology. Generic cabling systems - Office premises
ANSI/EIA-310-E	Electronic Industries Association standard for horizontal spacing, vertical hole spacing, rack opening and front panel width
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

## Part Number Table

Part Number	Description
100-755	Excel Unloaded 24 Port Screened Keystone Patch Panel Frame 1U Black

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.

