

Excel Office Curved Shutter for Keystone Jack 45x45 mm 2 Port Black

Part Code: 101-282-BK

sales@excel-networking.com
excel-networking.com



Main Features

- / Accepts all Excel keystone jacks
- / Directly mount in trunking or faceplate
- / Smooth beveled shape
- / Large label field

Product Overview

The Excel Curved 45 x 45 mm keystone shutter will support all of the Excel keystone jacks enabling screened and unscreened category 5e, 6 and 6A terminations to be presented in a uniformed fashion. Fixing clips are positioned on the rear of the shutter to allow the fitment to either faceplates or trunking.

Each port is protected with a curved, spring-loaded shutter in matching material. The shutter comes complete with paper label and fitted clear window.

Product Specifications

Excel Office Curved Shutter for Keystone Jack 45x45 mm 2 Port Black

Part Code: 101-282-BK

sales@excel-networking.com
excel-networking.com


Feature	Values
Application	Mounting cover data connector
Material	Plastic
Colour	Black
RAL-number (akin)	9005
Type of fastening	Engage (snap)
Number of modules (module system)	2
Width of device	45 mm

Excel Office Curved Shutter for Keystone Jack 45x45 mm 2 Port Black

Part Code: 101-282-BK

sales@excel-networking.com
excel-networking.com

Product drawing



Excel Office Curved Shutter for Keystone Jack 45x45 mm 2 Port Black

Part Code: 101-282-BK

sales@excel-networking.com
excel-networking.com

Standards

Applicable standard	Detail
BS EN 60670-1:2005 + A1:2013	Boxes and enclosures for electrical accessories for household and similar fixed electrical installations general requirements
BS EN 61340-5-1:2007	Protection of electronic devices from electrostatic phenomena. General requirements apply to activities that: manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM)
BS EN 60529:1992+A2:2013	Degrees of Protection provided by Enclosures (IP CODE)
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Excel Office Curved Shutter for Keystone Jack 45x45 mm 2 Port Black



Part Code: 101-282-BK

sales@excel-networking.com
excel-networking.com

Part Code Table

Part Code	Description
101-282-BK	Excel Office Curved Shutter for Keystone Jack 45x45 mm 2 Port Black