


Excel Angled 2 Port Kit with 215 Jacks, 56 mm x 56 mm Nordic Faceplate Pure White

Part Code: 101-283-215

sales@excel-networking.com
excel-networking.com



Main Features

- / Label field and clear cover
- / Clip shutter cover for both ports
- / Supplied as empty or with keystone jacks
- / Finished in pure white

Product Overview

Excel Angled 2 Port Kit with 215 Jacks, 56 mm x 56 mm Nordic Faceplate Pure White. This kit also comes with 2x Excel 100-215 Cat6A FTP Keystone Jacks.

The frame accepts all of the unscreened and screened Excel keystone jacks and presents them in an angled orientation to reduce the depth of the back box.

Compatible with Nordic style ducting that uses 56 mm square cutouts.

Product Specifications

Excel Angled 2 Port Kit with 215 Jacks, 56 mm x 56 mm Nordic Faceplate Pure White

Part Code: 101-283-215

sales@excel-networking.com
excel-networking.com

Feature	Values
Surface mounted	yes
Flush-mounted installation	yes
Type of fastening	Screwing
Type of connector	RJ45 8(8)
With outlets / modules	yes
Suitable for number of outlets / modules	2
Category	6
Colour	White
Connection type	Toolless
Shielded housing	yes
With label space	yes
Colour coding	yes
Width of device	56 mm
Height of device	56 mm

Standards

Applicable standard	Detail
BS EN 60670-1:2005 + A1:2013	Boxes and enclosures for electrical accessories for household and similar fixed electrical installations general requirements
BS EN 61340-5-1:2007	Protection of electronic devices from electrostatic phenomena. General requirements apply to activities that: manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM).

Excel Angled 2 Port Kit with 215 Jacks, 56 mm x 56 mm Nordic Faceplate Pure White

Part Code: 101-283-215

sales@excel-networking.com
excel-networking.com

BS EN 60529:1992+A2:2013	Degrees of Protection provided by Enclosures (IP CODE)
ISO/IEC 11801:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology - Generic cabling systems - General requirements
ANSI/TIA 568-D	Balanced Twisted-Pair Telecommunications Cabling and Components Standards
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Excel Angled 2 Port Kit with 215 Jacks, 56 mm x 56 mm Nordic Faceplate Pure White



Part Code: 101-283-215

sales@excel-networking.com
excel-networking.com

Part Code Table

Part Code	Description
101-283-215	Excel Angled 2 Port Kit with 215 Jacks, 56 mm x 56 mm Nordic Faceplate Pure White