Excel Cat6 Antibacterial Patch Lead U/UTP LSOH 1 m White

Item Code: 103-001





Product Overview

Excel Cat6 U/UTP Antibacterial patch leads are manufactured and tested to ISO 22196:2011, ISO 11801, EN 50173 & TIA/EIA 568 requirements for patch cord assemblies and provide optimum performance levels for structured cabling installations.

LS0H outer sheath

The antibacterial properties of these cords is ideal for use in high traffic or medical facilities and healthcare.

Product Specifications


| Feature | Values |
|--------------------------------|------------|
| Cable type | U/UTP |
| Category | 6 |
| Length | 1 m |
| Type of connector connection 1 | RJ45 8(8) |
| Type of connector connection 2 | RJ45 8(8) |
| Outer sheath colour | White |
| Strain relief boot | Moulded-on |
| Lockable | no |
| Strain relief boot colour | White |
| Cable construction | 1x4 |
| AWG-size | 24 |
| Pin assignment | 1:1 |

Excel Cat6 Antibacterial Patch Lead U/UTP LSOH 1 m White

Item Code: 103-001



Product drawing



Standards

| Applicable standard | Detail |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ISO/IEC 11801-1:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements |
| ISO 22196:2011 | Measurement of antibacterial activity on plastics and other non-porous surfaces |
| EN 50173-1:2018 | Information technology. Generic cabling systems - General requirements |
| ANSI/TIA 568-2.D | Balanced Twisted-Pair Telecommunications Cabling and Components Standards |
| IEC 61156-5:2009+AMD1:2012 CSV | Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification |
| IEC 61034-2:2005+A1:2013 | Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements |
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |

Excel Cat6 Antibacterial Patch Lead U/UTP LSOH 1 m White

Item Code: 103-001



POPs (EU) No 2019/1021 EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

| Part Number | Description |
|-----------------|----------------------------------------------------------------------|
| i di Civarribei | Description |
| 103-000-10 | Excel Cat6 Antibacterial Patch Lead U/UTP LSOH 0.5 m White (10-Pack) |
| 103-001 | Excel Cat6 Antibacterial Patch Lead U/UTP LSOH 1 m White |
| 103-002 | Excel Cat6 Antibacterial Patch Lead U/UTP LSOH 2 m White |
| 103-003 | Excel Cat6 Antibacterial Patch Lead U/UTP LSOH 3 m White |
| 103-005 | Excel Cat6 Antibacterial Patch Lead U/UTP LSOH 5 m White |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.