# Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Violet (10-Pack)

**Part Code: 103-219-10**

sales@excel-networking.com
excel-networking.com



## Main Features

- 28AWG Cat6A high flexibility
- Supports PoE++ applications
- Suitable for screened or unscreened installations
- Suitable for 10 Gigabit 10GBase-T applications
- Individual foil screen over each pair
- 4.80 mm reduced diameter cable

## Product Overview

Excel 28AWG Cat6A mini patch leads take the performance capabilities of copper infrastructure to new levels. Designed to the current ISO and EIA/TIA standards for Class EA/Augmented Category 6A performance these products are intended to deliver reliable, high network performance including support of 10GBase-T, 10 Gigabit Ethernet and PoE++.

Each Excel Category 6A patch lead consists of 4 twisted pairs of 28AWG stranded copper wires, with an aluminium/polyester foil screen making them suitable for screened or unscreened installations. These pairs are then cabled together, with different lay lengths to ensure optimum performance.

Staggered pin RJ45 screened plugs, terminate the cable, and each lead is fitted with colour coded slimline moulded boots with small


This data sheet was generated at 5:04am 6th November 2026 and is subject to change at any time.


new design plug unique to excel making them a great patch chord for use in high density patching with better airflow and tidier installations.

## Product Specifications

| Feature | Values |
|---|---|
| Category | **6A (IEC)** |
| Length | **0.5 m** |
| Type of connector connection 1 | **RJ45 8(8)** |
| Type of connector connection 2 | **RJ45 8(8)** |
| Outer sheath colour | **Violet** |
| Strain relief boot | **Moulded-on** |
| Lockable | **no** |
| Strain relief boot colour | **Violet** |
| Flame retardant version | **yes** |
| Halogen free (acc. IEC 60754-2) | **yes** |
| Cable construction | **1x4** |
| AWG-size | **28** |
| Pin assignment | **1:1** |


This data sheet was generated at 5:04am 6th November 2026 and is subject to change at any time.

## Product drawing




## Standards

| Applicable standard | Detail |
|---|---|
| ISO/IEC 11801:2017 | Information technology - Generic cabling for customer premises: Part 1 General requirements |
| EN 50173-2:2018 | Information technology - Generic cabling systems - General requirements |
| ANSI/TIA 568-D | Balanced twisted-pair telecommunications cabling and components standards |
| IEC 61156-6:2020 | Multicore and symmetrical pair/quad cables for digital communications - Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz - Work area wiring - Sectional specification |
| IEC 60332-1-2:2004 | Tests on electric and optical fibre cables under fire conditions. Test for vertical flame propagation for a single insulated wire or cable. Procedure for 1 kW pre-mixed flame |
| IEC 61034-2:2005+A1:2013 | Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements |
| IEEE802.3bt | Type 4 4PPoE to 100 w 60 V DC |


This data sheet was generated at 5:04am 6th November 2026 and is subject to change at any time.

| | |
|---|---|
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Code Table

| Part Code | Description |
|---|---|
| 103-204 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Pink** |
| 103-206 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Pink** |
| 103-207 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Pink** |
| 103-208 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Pink** |
| 103-209 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Pink** |
| 103-211 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Violet** |


This data sheet was generated at 5:04am 6th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

| | |
|---|---|
| 103-212 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Violet** |
| 103-213 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Violet** |
| 103-214 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Violet** |
| 103-215 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Violet** |
| 103-216-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.2 m Aqua (10-Pack)** |
| 103-217-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m Aqua (10-Pack)** |
| 103-218-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m Violet (10-Pack)** |
| 103-219-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Violet (10-Pack)** |
| 103-220-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Grey (10-Pack)** |
| 103-221 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Grey** |
| 103-222 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Grey** |
| 103-223 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Grey** |
| 103-224 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Grey** |
| 103-225 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Grey** |
| 103-226-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.2 m Grey (10-Pack)** |
| 103-227-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m Grey (10-Pack)** |
| 103-228 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 7 m Grey** |
| 103-229 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 10 m Grey** |
| 103-230-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Blue (10-Pack)** |
| 103-231 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Blue** |
| 103-232 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Blue** |
| 103-233 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Blue** |
| 103-234 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Blue** |
| 103-235 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Blue** |



This data sheet was generated at 5:04am 6th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

| | |
|---|---|
| 103-236-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.2 m Blue (10-Pack)** |
| 103-237-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m Blue (10-Pack)** |
| 103-239 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 10 m Blue** |
| 103-240-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Red (10-Pack)** |
| 103-241 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Red** |
| 103-242 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Red** |
| 103-243 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Red** |
| 103-244 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Red** |
| 103-245 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Red** |
| 103-247-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m Red (10-Pack)** |
| 103-249 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 10 m Red** |
| 103-250-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Yellow (10-Pack)** |
| 103-251 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Yellow** |
| 103-252 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Yellow** |
| 103-253 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Yellow** |
| 103-254 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Yellow** |
| 103-255 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Yellow** |
| 103-256-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.2 m Yellow (10-Pack)** |
| 103-257-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m Yellow (10-Pack)** |
| 103-259 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 10 m Yellow** |
| 103-260-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Green (10-Pack)** |
| 103-261 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Green** |
| 103-262 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Green** |



This data sheet was generated at 5:04am 6th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

| | |
|---|---|
| 103-263 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Green** |
| 103-264 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Green** |
| 103-265 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Green** |
| 103-266-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.2 m Green (10-Pack)** |
| 103-267-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m Green (10-Pack)** |
| 103-269 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 10 m Green** |
| 103-270-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m White (10-Pack)** |
| 103-271 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m White** |
| 103-272 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m White** |
| 103-273 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m White** |
| 103-274 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m White** |
| 103-275 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m White** |
| 103-276-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.2 m White (10-Pack)** |
| 103-277-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m White (10-Pack)** |
| 103-279 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 10 m White** |
| 103-280-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Black (10-Pack)** |
| 103-281 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Black** |
| 103-282 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Black** |
| 103-283 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Black** |
| 103-284 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Black** |
| 103-285 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Black** |
| 103-286-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.2 m Black (10-Pack)** |



This data sheet was generated at 5:04am 6th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

| | |
|---|---|
| 103-287-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.3 m Black (10-Pack)** |
| 103-289 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 10 m Black** |
| 103-290-10 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.5 m Orange (10-Pack)** |
| 103-291 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1 m Orange** |
| 103-292 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 2 m Orange** |
| 103-293 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 3 m Orange** |
| 103-294 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 1.5 m Orange** |
| 103-295 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 5 m Orange** |
| 103-296 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 4 m Grey** |
| 103-297 | **Excel Cat6A Mini Patch Lead 28AWG LSOH Blade Booted 0.75 m Grey** |



This data sheet was generated at 5:04am 6th November 2026 and is subject to change at any time.