
# Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey

**Part Code: 105-007**

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 2.037 kg CO2e



## Main Features

/ Category 6

/ Backward compatible

/ Blade style "slimline" moulded strain relief boot with clip protector

/ Foil tape screen

/ T568B wiring

/ LS0H outer sheath

## Product Overview

Excel Category 6 F/UTP patch leads are manufactured and tested to ISO 11801, EN 50173 & TIA/EIA 568 requirements for patch cord assemblies and provide optimum performance levels for structured cabling installations.

## Product Specifications

| Feature | Values |
|---|---|



This data sheet was generated at 12:40am 7th November 2026 and is subject to change at any time.


# Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey

**Part Code: 105-007**

sales@excel-networking.com
excel-networking.com

| | |
|---|---|
| Cable type | **F/UTP** |
| Category | **6** |
| Length | **10 m** |
| Type of connector connection 1 | **RJ45 8(8)** |
| Type of connector connection 2 | **RJ45 8(8)** |
| Outer sheath colour | **Grey** |
| Strain relief boot | **Moulded-on** |
| Lockable | **no** |
| Strain relief boot colour | **Grey** |
| Cable construction | **1x4** |
| AWG-size | **26** |
| Pin assignment | **1:1** |

## Product drawing





This data sheet was generated at 12:40am 7th November 2026 and is subject to change at any time.

## Standards

| Applicable standard | Detail |
|---|---|
| ISO/IEC 11801-1:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements |
| EN 50173-1:2018 | Information technology. Generic cabling systems - General requirements |
| ANSI/TIA 568-2.D | Balanced Twisted-Pair Telecommunications Cabling and Components Standards |
| IEC 61156-5:2009+AMD1:2012 CSV | Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification |
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |


This data sheet was generated at 12:40am 7th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

## Part Code Table

| Part Code | Description |
|---|---|
| 105-001 | **Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 0.3 m Grey (10-Pack)** |
| 105-002 | **Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 0.5 m Grey** |
| 105-003 | **Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 1 m Grey** |
| 105-004 | **Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 2 m Grey** |
| 105-005 | **Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 3 m Grey** |
| 105-006 | **Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 5 m Grey** |
| 105-007 | **Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey** |
| 105-010 | **Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey** |



This data sheet was generated at 12:40am 7th November 2026 and is subject to change at any time.