


Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey



Part Code: 105-010

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon:



Main Features

- / Category 6
- / Backward compatible
- / Blade style "slimline" moulded strain relief boot with clip protector
- / Foil tape screen
- / T568B wiring
- / LSOH outer sheath

Product Overview

Excel Category 6 F/UTP patch leads are manufactured and tested to ISO 11801, EN 50173 & TIA/EIA 568 requirements for patch cord assemblies and provide optimum performance levels for structured cabling installations.

Product Specifications

Feature	Values
---------	--------


Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey

Part Code: 105-010

sales@excel-networking.com
excel-networking.com

Cable type	F/FTP
Category	6
Length	30 m
Type of connector connection 1	RJ45 8(8)
Type of connector connection 2	RJ45 8(8)
Outer sheath colour	Grey
Strain relief boot	Moulded-on
Lockable	no
Strain relief boot colour	Grey
Cable construction	1x4
AWG-size	26
Pin assignment	1:1

Product drawing



Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey

Part Code: 105-010

sales@excel-networking.com
excel-networking.com

Standards

Applicable standard	Detail
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
ANSI/TIA 568-2.D	Balanced Twisted-Pair Telecommunications Cabling and Components Standards
IEC 61156-5:2009+AMD1:2012 CSV	Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey



Part Code: 105-010

sales@excel-networking.com
excel-networking.com

Part Code Table

Part Code	Description
105-001	Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 0.3 m Grey (10-Pack)
105-002	Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 0.5 m Grey
105-003	Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 1 m Grey
105-004	Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 2 m Grey
105-005	Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 3 m Grey
105-006	Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 5 m Grey
105-007	Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey
105-010	Excel Cat6 Patch Lead F/UTP Shielded LSOH Blade Booted 10 m Grey