


Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 0.3 m Grey (10-Pack)

Item Code: 106-001



- ✕ Category 6A
- ✕ Screen braid outer with individual foil tape screen
- ✕ Backward compatible
- ✕ T568B wiring
- ✕ Blade style "slimline" moulded strain relief boot with clip protector
- ✕ LSOH outer sheath
- ✕ CIBSE TM65 Embodied Carbon: 1.776 kg CO2e

Product Overview

Excel Category 6A S/FTP patch leads are manufactured and tested to ISO 11801, EN 50173 & TIA/EIA 568 requirements for patch cord assemblies and provide optimum performance levels for structured cabling installations.

Product Specifications

| Feature | Values |
|--------------------------------|------------|
| Cable type | S/FTP |
| Category | 6A (IEC) |
| Length | 0.3 m |
| Type of connector connection 1 | RJ45 8(8) |
| Type of connector connection 2 | RJ45 8(8) |
| Outer sheath colour | Grey |
| Strain relief boot | Moulded-on |
| Lockable | no |
| Strain relief boot colour | Grey |


Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 0.3 m Grey (10-Pack)

Item Code: 106-001



| | |
|-------------------------|-----|
| Flame retardant version | yes |
| Cable construction | 1x4 |
| AWG-size | 26 |
| Pin assignment | 1:1 |

Product drawing



Standards

| Applicable standard | Detail |
|--|--|
| ISO/IEC 11801-1:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements |
| EN 50173-1:2018 | Information technology. Generic cabling systems - General requirements |
| ANSI/TIA 568-2.D | Balanced Twisted-Pair Telecommunications Cabling and Components Standards |
| IEC 61156-5:2009+AMD1:2012 CSV | Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification |
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 0.3 m Grey (10-Pack)

Item Code: 106-001



Part Number Table

| Part Number | Description |
|-------------|--|
| 106-001 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 0.3 m Grey (10-Pack) |
| 106-002 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 0.5 m Grey (10-Pack) |
| 106-003 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 1 m Grey |
| 106-004 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 2 m Grey |
| 106-005 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 3 m Grey |
| 106-006 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 5 m Grey |
| 106-007 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 10 m Grey |
| 106-008 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 8 m Grey |
| 106-009 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 15 m Grey |
| 106-010 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 20 m Grey |
| 106-020 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 30 m Blue |
| 106-050 | Excel Cat6A Patch Lead S/FTP Shielded LSOH Blade Booted 30 m Green |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.