

Excel Cat8 Patch Lead S/FTP Shielded LSOH Blade Booted 1 m Yellow

Item Code: 108-231



- ✕ Category 8
- ✕ Low Smoke Zero Halogen Jacket
- ✕ High performance design
- ✕ Individual foil pairs
- ✕ 26 AWG size conductors
- ✕ Suitable for 2000 MHz applications

Product Overview

Excel Category 8 S/FTP patch leads are manufactured and tested to ISO 11801, EN 50173 & TIA/EIA 568 requirements for patch cord assemblies and provide optimum performance levels for structured cabling installations.

Product Specifications


| Feature | Values |
|--------------------------------|------------|
| Cable type | S/FTP |
| Category | 8 |
| Length | 1 m |
| Type of connector connection 1 | RJ45 8(8) |
| Type of connector connection 2 | RJ45 8(8) |
| Outer sheath colour | Yellow |
| Strain relief boot | Moulded-on |
| Lockable | no |
| Flame retardant version | yes |
| Cable construction | 1x4 |
| AWG-size | 26 |
| Pin assignment | 1:1 |

Excel Cat8 Patch Lead S/FTP Shielded LSOH Blade
Booted 1 m Yellow

Item Code: 108-231



Product drawings



Standards

| Applicable standard | Detail |
|--|--|
| ISO/IEC 11801:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements |
| IEC 61156-5:2020 | Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification |
| IEC 61156-5:2021 | Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification |
| ANSI/TIA 568-D:2015 | Balanced Twisted-Pair Telecommunications Cabling and Components Standards |
| IEC 61156-6:2020 | Multicore and symmetrical pair/quad cables for digital communications - Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Work area wiring - Sectional specification |
| IEEE 802.3bt | Type 4 4PPoE to 100 W 60 V DC |
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |

Excel Cat8 Patch Lead S/FTP Shielded LSOH Blade Booted 1 m Yellow

Item Code: 108-231



WFD: 2023

Compliant to Waste Framework Directive

SCIP: 2023

Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)

POPs (EU) No 2019/1021

EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

| Part Number | Description |
|-------------|---|
| 108-230 | Excel Cat8 Patch Lead S/FTP Shielded LSOH Blade Booted 0.5 m Yellow |
| 108-231 | Excel Cat8 Patch Lead S/FTP Shielded LSOH Blade Booted 1 m Yellow |
| 108-232 | Excel Cat8 Patch Lead S/FTP Shielded LSOH Blade Booted 2 m Yellow |
| 108-233 | Excel Cat8 Patch Lead S/FTP Shielded LSOH Blade Booted 3 m Yellow |
| 108-235 | Excel Cat8 Patch Lead S/FTP Shielded LSOH Blade Booted 5 m Yellow |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.