

# Excel Hook & Loop Cable Tie 230 mm Black (20-Pack)

Part Code: 180-078-PACK20

sales@excel-networking.com  
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.680 kg CO2e



## Main Features

- / Quick and Easy Installation
- / Will not crush cables
- / 20 mm wide
- / Reusable
- / Choice of colours
- / CIBSE TM65 Embodied Carbon: 0.680 kg CO2e

## Product Overview

The Excel Hook & Loop Cable Ties offer a quick and easy way of securing cables without the risk of crushing that conventional nylon ties pose. The hook and loop tie are reusable allowing repositioning of the cable tie during the installation without the wastage or replacement.

## Product Specifications

Feature	Values
---------	--------

# Excel Hook & Loop Cable Tie 230 mm Black (20-Pack)

**Part Code: 180-078-PACK20**

[sales@excel-networking.com](mailto:sales@excel-networking.com)  
[excel-networking.com](http://excel-networking.com)

Band width	<b>20 mm</b>
Length belt/tape/tie	<b>230 mm</b>
Band closure	<b>Velcro fastener</b>
Colour	<b>Black</b>

## Standards

Applicable standard	Detail
UL-94-V-2	Burning stops within 60 seconds after two applications of ten seconds each of a flame to a test bar. Flaming drips are allowed.
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UKSI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

# Excel Hook & Loop Cable Tie 230 mm Black (20-Pack)

**Part Code: 180-078-PACK20**

sales@excel-networking.com  
excel-networking.com

## Part Code Table

Part Code	Description
180-077-PACK20	Excel Hook & Loop Cable Tie 150 mm Black (20-Pack)
180-078-PACK20	Excel Hook & Loop Cable Tie 230 mm Black (20-Pack)
180-079-PACK20	Excel Hook & Loop Cable Tie 230mm White (20-Pack)
180-080-PACK20	Excel Hook & Loop Cable Tie 230 mm Red (20-Pack)
180-082-PACK20	Excel Hook & Loop Cable Tie 230mm Blue (20-Pack)
180-083-PACK20	Excel Hook & Loop Cable Tie 330 mm Black (20-Pack)
180-084-PACK20	Excel Hook & Loop Cable Tie 330 mm White (20-Pack)
180-087-PACK20	Excel Hook & Loop Cable Tie 330mm Blue (20-Pack)
180-094	Excel Hook & Loop Individual Ties 25 m Reel Black
180-096	Excel Hook & Loop Individual Ties 25 m Reel Blue
180-098	Excel Hook & Loop 25m Reel of Individual Ties Green