

Braided Sleeving Expandable 40mm - 63mm 25m

Part Code: 180-208

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 7.318 kg CO2e



Main Features

/ VL UL94

/ EN 45545

/ NFF16-101 / F16-102

/ Halogen free

/ CIBSE TM65 Embodied Carbon: 7.318 kg CO2e

Product Overview

Excel sleeving is designed in such a way as to allow the diameter to expand either by compressing the sleeving or by the insertion of cable and/or components. It is perfect for looming a number of different data cables together.

Supplied in an easy pull style box, plastic packaging free.

Flame Resistance: Self Extinguishing (V2 UL94)

Braided Sleeving Expandable 40mm - 63mm 25m

Part Code: 180-208

sales@excel-networking.com
excel-networking.com

Product Specifications

Feature	Values
Bundle diameter	40...63 mm
Material	PET
Halogen free	yes
Colour	Black
Operating temperature	-50...130 °C
Fire resistance in accordance with UL94	V2

Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great

Braided Sleeving Expandable 40mm - 63mm 25m

Part Code: 180-208

sales@excel-networking.com
excel-networking.com

Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Code Table

Part Code	Description
180-202	Cable Binding Polyethylene Wrap 6mm - 22mm 25m
180-205	Braided Sleeving Expandable 10mm - 20mm 100m
180-208	Braided Sleeving Expandable 40mm - 63mm 25m