
# Excel Enbeam Self Adhesive Twist Clips 9.2 mm/26.1 mm (100-Pack)

**Part Code: 200-120**

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 9.234 kg CO2e



## Main Features

- Self-Adhesive base
- Colour - Natural
- CIBSE TM65 Embodied Carbon: 9.234 kg CO2e
- Base size approx. 9 mm x 26 mm
- Ideal for fibres

## Product Overview

Self-adhesive cable clips are ideal for securing and routing fibre within patch panels and wall boxes. Designed with rounded edges that will not damage the fibre. Easy and quick to install. With high-strength adhesive pad attached to base. Natural finish.

## Product Specifications

| Feature | Values |
|---|---|


This data sheet was generated at 7:57am 21st November 2026 and is subject to change at any time.

| | |
|---|---|
| Type of accessory/spare part | **Twist Clips** |

## Standards

| Applicable standard | Detail |
|---|---|
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Code Table

| Part Code | Description |
|---|---|
| 200-120 | **Excel Enbeam Self Adhesive Twist Clips 9.2 mm/26.1 mm (100-Pack)** |


This data sheet was generated at 7:57am 21st November 2026 and is subject to change at any time.

| | |
|---|---|
| 200-125 | **Excel Enbeam S24 Splice Tray for FOSC Type A Closure** |
| 200-367 | **Excel Enbeam SC Duplex Clip Beige** |
| 200-367-AQ | **Excel Enbeam SC Duplex Clip Aqua** |
| 200-367-BL | **Excel Enbeam SC Duplex Clip Blue** |
| 200-367-VT | **Excel Enbeam SC Duplex Clip Violet** |
| 200-391 | **Excel Enbeam Splice Holder 24 Way** |
| 200-395 | **Excel Enbeam Blanking Plug SC Duplex / LC Quad** |
| 200-396 | **Excel Enbeam 48 Way Splice Holder** |
| 200-903 | **Excel Enbeam Epoxy 3cc Syringe and Needle (5-Pack)** |
| 200-906 | **Excel Enbeam Lint Free Dry Cleaning Wipes (100-Pack)** |
| 200-911 | **Excel Enbeam Pre-saturated IPA Cleaning Wipes (80-Pack)** |
| 200-922 | **Excel Enbeam Fibre/Sharps Waste Disposal Bin** |
| 200-930 | **Excel Enbeam Blanking Plug LC Duplex / SC Simplex** |
| 202-080 | **Enbeam Cold-Cure Fibre Connector Adhesive and Activator** |
| 202-094 | **Excel Enbeam Isopropyl Alcohol (IPA) 1 Litre** |
| 202-096 | **Excel Enbeam PG 11 Cable Glands with Strain Relief For Cable sizes 4 - 10 mm** |
| 202-097 | **Excel Enbeam PG 13.5 Cable Glands with Strain Relief For Cable sizes 6 - 12 mm** |
| 202-098 | **Excel Enbeam PG 16 Cable Glands with Strain Relief For Cable sizes 9 - 14 mm** |
| 202-105 | **Excel Enbeam Splice Cassette** |
| 202-106 | **Excel Enbeam Splice Holder 8 Splices** |
| 202-112 | **Fibre Protection Tubes 2.5mm** |
| 202-114 | **Air Duster - Compressed Air Canister** |
| 208-023 | **Excel Enbeam LC Connector Extraction Tool** |
| 208-172 | **Excel Enbeam Adaptor Extraction Tool** |


This data sheet was generated at 7:57am 21st November 2026 and is subject to change at any time.