
# Excel Enbeam LC/APC Quad OS2 Singlemode Flangeless Adaptor Green (6-Pack)

**Part Code: 200-354-06**

sales@excel-networking.com
excel-networking.com



## Main Features

- 25 year system warranty
- Dust caps included
- Plastic free packaging
- Singlemode & Multimode
- SC, LC versions

## Product Overview

Excel Enbeam fibre optic adaptors have been designed to present a range of optic fibre connectors. The adaptors are constructed to allow fitting in the bulkheads without screws. The housings are manufactured from a range of plastics and metals selected to provide the optimum performance.

## Product Specifications

| Feature | Values |
|---|---|


This data sheet was generated at 5:06pm 10th November 2026 and is subject to change at any time.

# Excel Enbeam LC/APC Quad OS2 Singlemode Flangeless Adaptor Green (6-Pack)


**Part Code: 200-354-06**

sales@excel-networking.com
excel-networking.com

| | |
|---|---|
| Suitable for type of fibre | **Single mode** |
| Type of connector connection 1 | **LC-Quad** |
| Type of connector connection 2 | **LC-Quad** |
| Material housing | **Plastic** |
| APC-type | **yes** |


This data sheet was generated at 5:06pm 10th November 2026 and is subject to change at any time.

## Product drawing





This data sheet was generated at 5:06pm 10th November 2026 and is subject to change at any time.

## Additional specifications

| Features | Values |
|---|---|
| Insertion Loss | **< 0.2 dB** |
| Durability (500 Mating) | **0.2 dB Max Increase** |
| Operating Temperature | **-40°C to +80°C** |
| Retention Force | **200 – 600 grams** |

## Standards

| Applicable standard | Detail |
|---|---|
| IEC 61300-2-22 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Change of temperature |
| IEC 61300-3-4:2012 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Attenuation |
| IEC 61300-2-2 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Mating durability |
| IEC 61754-20:2012 | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 20: Type LC connector family |
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) |


This data sheet was generated at 5:06pm 10th November 2026 and is subject to change at any time.

| | |
|---|---|
| | Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Code Table

| Part Code | Description |
|---|---|
| 200-354-06 | **Excel Enbeam LC/APC Quad OS2 Singlemode Flangeless Adaptor Green (6-Pack)** |


This data sheet was generated at 5:06pm 10th November 2026 and is subject to change at any time.