


Excel Enbeam Splice Holder 24 Way

Part Code: 200-391

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.235 kg CO2e



Main Features

- / Self adhesive base
- / Holds up to 24 splice protectors
- / Holds 3 mm and 2 mm splice protectors
- / Black rubber construction
- / CIBSE TM65 Embodied Carbon: 0.235 kg CO2e

Product Overview

A compact 24 way Splice Holder which provides an effective means to store up to 24 Fusion Splice Protectors. Ideal for use in patch panels or wall enclosures. The holder can be fixed to any flat clean surface using the self adhesive pad on the base.

Product Specifications

| Feature | Values |
|---------|--------|
|---------|--------|

Part Code: 200-391

sales@excel-networking.com
excel-networking.com

Type of accessory/spare part

Splice Bridge

Standards

| Applicable standard | Detail |
|------------------------------------|--|
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

Part Code Table

| Part Code | Description |
|-----------|---|
| 200-120 | Excel Enbeam Self Adhesive Twist Clips 9.2 mm/26.1 mm (100-Pack) |

Excel Enbeam Splice Holder 24 Way

Part Code: 200-391

sales@excel-networking.com
excel-networking.com

| | |
|------------|--|
| 200-125 | Excel Enbeam S24 Splice Tray for FOSC Type A Closure |
| 200-367 | Excel Enbeam SC Duplex Clip Beige |
| 200-367-AQ | Excel Enbeam SC Duplex Clip Aqua |
| 200-367-BL | Excel Enbeam SC Duplex Clip Blue |
| 200-367-VT | Excel Enbeam SC Duplex Clip Violet |
| 200-391 | Excel Enbeam Splice Holder 24 Way |
| 200-395 | Excel Enbeam Blanking Plug SC Duplex / LC Quad |
| 200-396 | Excel Enbeam 48 Way Splice Holder |
| 200-903 | Excel Enbeam Epoxy 3cc Syringe and Needle (5-Pack) |
| 200-906 | Excel Enbeam Lint Free Dry Cleaning Wipes (100-Pack) |
| 200-911 | Excel Enbeam Pre-saturated IPA Cleaning Wipes (80-Pack) |
| 200-922 | Excel Enbeam Fibre/Sharps Waste Disposal Bin |
| 200-930 | Excel Enbeam Blanking Plug LC Duplex / SC Simplex |
| 202-080 | Enbeam Cold-Cure Fibre Connector Adhesive and Activator |
| 202-094 | Excel Enbeam Isopropyl Alcohol (IPA) 1 Litre |
| 202-096 | Excel Enbeam PG 11 Cable Glands with Strain Relief For Cable sizes 4 - 10 mm |
| 202-097 | Excel Enbeam PG 13.5 Cable Glands with Strain Relief For Cable sizes 6 - 12 mm |
| 202-098 | Excel Enbeam PG 16 Cable Glands with Strain Relief For Cable sizes 9 - 14 mm |
| 202-105 | Excel Enbeam Splice Cassette |
| 202-106 | Excel Enbeam Splice Holder 8 Splices |
| 202-112 | Fibre Protection Tubes 2.5mm |
| 202-114 | Air Duster - Compressed Air Canister |
| 208-023 | Excel Enbeam LC Connector Extraction Tool |
| 208-172 | Excel Enbeam Adaptor Extraction Tool |