

Excel Enbeam Blanking Plug SC Duplex / LC Quad

Part Code: 200-395

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.178 kg CO2e



Main Features

- / Black plastic plug
- / Provides a neat appearance for partially populated panels
- / CIBSE TM65 Embodied Carbon: 0.178 kg CO2e
- / Fits panel aperture for SC Duplex and LC Quad adaptors
- / Provides protection from dust and dirt

Product Overview

Blanking plugs can be used in part loaded panels to ensure a tidy and professional installation. This plug fits panel apertures for SC Duplex and LC Quad adaptors.

Product Specifications

| Feature | Values |
|---------|--------|
|---------|--------|

Excel Enbeam Blanking Plug SC Duplex / LC Quad

Part Code: 200-395

sales@excel-networking.com
excel-networking.com

Type of accessory/spare part

Blind cover

Standards

| Applicable standard | Detail |
|------------------------------------|--|
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

Part Code Table

| Part Code | Description |
|-----------|--|
| 200-120 | Excel Enbeam Self Adhesive Twist Clips 9.2 mm/26.1 mm (100-Pack) |

Excel Enbeam Blanking Plug SC Duplex / LC Quad

Part Code: 200-395

sales@excel-networking.com
excel-networking.com

| | |
|------------|--|
| 200-125 | Excel Enbeam S24 Splice Tray for FOSC Type A Closure |
| 200-367 | Excel Enbeam SC Duplex Clip Beige |
| 200-367-AQ | Excel Enbeam SC Duplex Clip Aqua |
| 200-367-BL | Excel Enbeam SC Duplex Clip Blue |
| 200-367-VT | Excel Enbeam SC Duplex Clip Violet |
| 200-391 | Excel Enbeam Splice Holder 24 Way |
| 200-395 | Excel Enbeam Blanking Plug SC Duplex / LC Quad |
| 200-396 | Excel Enbeam 48 Way Splice Holder |
| 200-903 | Excel Enbeam Epoxy 3cc Syringe and Needle (5-Pack) |
| 200-906 | Excel Enbeam Lint Free Dry Cleaning Wipes (100-Pack) |
| 200-911 | Excel Enbeam Pre-saturated IPA Cleaning Wipes (80-Pack) |
| 200-922 | Excel Enbeam Fibre/Sharps Waste Disposal Bin |
| 200-930 | Excel Enbeam Blanking Plug LC Duplex / SC Simplex |
| 202-080 | Enbeam Cold-Cure Fibre Connector Adhesive and Activator |
| 202-094 | Excel Enbeam Isopropyl Alcohol (IPA) 1 Litre |
| 202-096 | Excel Enbeam PG 11 Cable Glands with Strain Relief For Cable sizes 4 - 10 mm |
| 202-097 | Excel Enbeam PG 13.5 Cable Glands with Strain Relief For Cable sizes 6 - 12 mm |
| 202-098 | Excel Enbeam PG 16 Cable Glands with Strain Relief For Cable sizes 9 - 14 mm |
| 202-105 | Excel Enbeam Splice Cassette |
| 202-106 | Excel Enbeam Splice Holder 8 Splices |
| 202-112 | Fibre Protection Tubes 2.5mm |
| 202-114 | Air Duster - Compressed Air Canister |
| 208-023 | Excel Enbeam LC Connector Extraction Tool |
| 208-172 | Excel Enbeam Adaptor Extraction Tool |