


# Excel Enbeam 48 Way Splice Holder

Item Code: 200-396



Dimensions: Width 87 mm x Depth 40 mm x Height 15 mm

Intended for use with 2 mm x 45 mm splice protectors. (part number 200-397)

Splice holder with Lid

Holds up to 48 2 mm Splice Protectors

Can be stacked

Ideal for High Density installations

CIBSE TM65 Embodied Carbon: 0.171 kg CO2e

## Product Overview

The Excel Fibre Splice Holde, is a high quality plastic housing with easy place / lift off lid. The unit is designed for up to 48no 2 mm Splice Protectors..

The unit can be used in any enclosure and has a self-adhesive fixing pad on the base, making it perfect for both horizontal and vertical fitting.

## Product Specifications

| Feature                      | Values        |
|------------------------------|---------------|
| Type of accessory/spare part | Splice Holder |

## Standards

| Applicable standard                | Detail   |
|------------------------------------|--|
| Directive 2011/65/EU (RoHS II)     | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.   |
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales)   |

Regulations 2011 (SI 2011 No. 988).

|                                  |  |
|----------------------------------|--|
| ECHA SCIP Database               | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.  |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).   |
| UK SI 2012 No. 3032              | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Number Table

| Part Number | Description  |
|-------------|--|
| 200-120     | Excel Enbeam Self Adhesive Twist Clips 9.2 mm/26.1 mm (100-Pack)             |
| 200-125     | Excel Enbeam S24 Splice Tray for FOSC Type A Closure                         |
| 200-367     | Excel Enbeam SC Duplex Clip Beige  |
| 200-367-AQ  | Excel Enbeam SC Duplex Clip Aqua   |
| 200-367-BL  | Excel Enbeam SC Duplex Clip Blue   |
| 200-367-VT  | Excel Enbeam SC Duplex Clip Violet   |
| 200-391     | Excel Enbeam Splice Holder 24 Way  |
| 200-395     | Excel Enbeam Blanking Plug SC Duplex / LC Quad                               |
| 200-396     | Excel Enbeam 48 Way Splice Holder  |
| 200-903     | Excel Enbeam Epoxy 3cc Syringe and Needle (5-Pack)                           |
| 200-906     | Excel Enbeam Lint Free Dry Cleaning Wipes (100-Pack)                         |
| 200-911     | Excel Enbeam Pre-saturated IPA Cleaning Wipes (80-Pack)                      |
| 200-922     | Excel Enbeam Fibre/Sharps Waste Disposal Bin                                 |
| 200-930     | Excel Enbeam Blanking Plug LC Duplex / SC Simplex                            |
| 202-080     | Enbeam Cold-Cure Fibre Connector Adhesive and Activator                      |
| 202-094     | Excel Enbeam Isopropyl Alcohol (IPA) 1 Litre                                 |
| 202-096     | Excel Enbeam PG 11 Cable Glands with Strain Relief For Cable sizes 4 - 10 mm |
| 202-097     | Excel Enbeam PG 13.5 Cable Glands with Strain Relief For Cable sizes 6 - 12  |

# Excel Enbeam 48 Way Splice Holder

Item Code: 200-396



|         | mm   |
|---------|--|
| 202-098 | Excel Enbeam PG 16 Cable Glands with Strain Relief For Cable sizes 9 - 14 mm |
| 202-105 | Excel Enbeam Splice Cassette   |
| 202-106 | Excel Enbeam Splice Holder 8 Splices   |
| 202-112 | Fibre Protection Tubes 2.5mm   |
| 202-114 | Air Duster - Compressed Air Canister   |
| 208-023 | Excel Enbeam LC Connector Extraction Tool                                    |
| 208-172 | Excel Enbeam Adaptor Extraction Tool   |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.