Excel Enbeam 48 Way Splice Holder

Part Code: 200-396

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.171 kg CO2e



Main Features

/ Dimensions: Width 87 mm x Depth 40 mm x Height 15 mm

/ Splice holder with Lid

/ Can be stacked

/ Intended for use with 2 mm x 45 mm splice protectors. (part number 200-397)

/ Holds up to 48 2 mm Splice Protectors

/ Ideal for High Density installations

Product Overview

The Excel fibre splice holder, is a high quality plastic housing with easy place / lift off lid. The unit is designed for up to 48no 2 mm Splice Protectors..

The unit can be used in any enclosure and has a self-adhesive fixing pad on the base, making it perfect for both horizontal and vertical fitting.

Product Specifications

This data sheet was generated at 5:18am 5th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

Feature	Values
Type of accessory/spare part	**Splice Holder**

Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

This data sheet was generated at 5:18am 5th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

Part Code Table

Part Code	Description
200-120	**Excel Enbeam Self Adhesive Twist Clips 9.2 mm/26.1 mm (100-Pack)**
200-125	**Excel Enbeam S24 Splice Tray for FOSC Type A Closure**
200-367	**Excel Enbeam SC Duplex Clip Beige**
200-367-AQ	**Excel Enbeam SC Duplex Clip Aqua**
200-367-BL	**Excel Enbeam SC Duplex Clip Blue**
200-367-VT	**Excel Enbeam SC Duplex Clip Violet**
200-391	**Excel Enbeam Splice Holder 24 Way**
200-395	**Excel Enbeam Blanking Plug SC Duplex / LC Quad**
200-396	**Excel Enbeam 48 Way Splice Holder**
200-903	**Excel Enbeam Epoxy 3cc Syringe and Needle (5-Pack)**
200-906	**Excel Enbeam Lint Free Dry Cleaning Wipes (100-Pack)**
200-911	**Excel Enbeam Pre-saturated IPA Cleaning Wipes (80-Pack)**
200-922	**Excel Enbeam Fibre/Sharps Waste Disposal Bin**
200-930	**Excel Enbeam Blanking Plug LC Duplex / SC Simplex**
202-080	**Enbeam Cold-Cure Fibre Connector Adhesive and Activator**
202-094	**Excel Enbeam Isopropyl Alcohol (IPA) 1 Litre**
202-096	**Excel Enbeam PG 11 Cable Glands with Strain Relief For Cable sizes 4 - 10 mm**
202-097	**Excel Enbeam PG 13.5 Cable Glands with Strain Relief For Cable sizes 6 - 12 mm**
202-098	**Excel Enbeam PG 16 Cable Glands with Strain Relief For Cable sizes 9 - 14 mm**
202-105	**Excel Enbeam Splice Cassette**
202-106	**Excel Enbeam Splice Holder 8 Splices**
202-112	**Fibre Protection Tubes 2.5mm**

This data sheet was generated at 5:18am 5th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

202-114	**Air Duster - Compressed Air Canister**
208-023	**Excel Enbeam LC Connector Extraction Tool**
208-172	**Excel Enbeam Adaptor Extraction Tool**

This data sheet was generated at 5:18am 5th November 2026 and is subject to change at any time.