


Excel Enbeam Splice Protectors 61 mm x 3 mm Clear

Part Code: 200-398

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.008 kg CO2e



Main Features

- / 3 mm x 61 mm
- / Hot melt fusion tube
- / CIBSE TM65 Embodied Carbon: 0.008 kg CO2e
- / Stainless steel strength rod
- / Maintains optical properties

Product Overview

A splice protector which provides an effective means to cover fibre core once the fusion process has been undertaken. The Stainless steel strengthening rod ensures a stable connection is maintained across the joint of the fibre.

Product Specifications

Feature	Values
---------	--------

Excel Enbeam Splice Protectors 61 mm x 3 mm Clear

Part Code: 200-398

sales@excel-networking.com
excel-networking.com

Model

Fusion splice protection

Additional specifications

Features	Values
Stainless strengthening rod	301 Grade
Optimum shrinking process	Heat to 125°C / maintain 80 seconds
Outer tube	Cross-linked polyolefin
Inner tube	Ethylene Vinyl Acetate
Operating temperature	-45°C to +100°C

Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.

Excel Enbeam Splice Protectors 61 mm x 3 mm Clear

Part Code: 200-398

sales@excel-networking.com
excel-networking.com

Regulation (EU) 2019/1021 (POPs)

EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).

UK SI 2012 No. 3032

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Code Table

Part Code	Description
200-397	Excel Enbeam Splice Protectors 45 mm x 2 mm Clear
200-397-100	Excel Enbeam Splice Protectors 45 mm x 2 mm Clear (100-Pack)
200-398	Excel Enbeam Splice Protectors 61 mm x 3 mm Clear
200-398-100	Excel Enbeam Splice Protectors 61 mm x 3 mm Clear (100-Pack)
200-399	Excel Enbeam Splice Protectors 45 mm x 3 mm Clear
200-399-100	Excel Enbeam Splice Protectors 45 mm x 3 mm Clear (100-Pack)