
# Excel Enbeam Unloaded SC Duplex/LC Quad Angled Module

**Part Code: 200-439**

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.083 kg CO2e



## Main Features

- / Fits 45 mm and 50 mm Excel aperture faceplates
- / Built in labelling system
- / Accepts Flangeless SC Duplex and LC Quad adaptors only
- / UL94V-0
- / Angled
- / CIBSE TM65 Embodied Carbon: 0.083 kg CO2e

## Product Overview

The Excel angled fibre modules have been designed in a way that they can be fitted into standard Excel faceplates with a 45 mm or 50 mm aperture. This is achieved by the fitting or removal of the outer collar of the module. Both SC Simplex and SC Duplex variations are available.

## Product Specifications

| Feature | Values |
|---|---|


This data sheet was generated at 3:57am 17th November 2026 and is subject to change at any time.

# Excel Enbeam Unloaded SC Duplex/LC Quad Angled Module


**Part Code: 200-439**

sales@excel-networking.com
excel-networking.com

| | |
|---|---|
| Number of units | **1** |
| Mounting direction | **Horizontal** |
| Number of units horizontal | **2** |
| Number of units vertical | **1** |
| Flush-mounted installation | **yes** |
| Suitable for floor box | **yes** |
| Material | **Thermoplastic** |
| Colour | **White** |
| RAL-number (akin) | **9003** |
| Type of fastening | **Screw mounting** |
| Width | **50 mm** |
| Height | **50 mm** |
| Depth | **23.4 mm** |
| Aperture width | **12.9 mm** |
| Aperture height | **9.3 mm** |


This data sheet was generated at 3:57am 17th November 2026 and is subject to change at any time.

## Product drawings




## Standards

| Applicable standard | Detail |
|---|---|
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| IEC 61754-1:2013 | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance |
| ISO/IEC 11801-1:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements |


This data sheet was generated at 3:57am 17th November 2026 and is subject to change at any time.

| | |
|---|---|
| EN 50173-1:2018 | Information technology. Generic cabling systems - General requirements |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Code Table

| Part Code | Description |
|---|---|
| 200-438 | **Excel Enbeam Unloaded SC Simplex/LC Duplex Angled Module** |
| 200-439 | **Excel Enbeam Unloaded SC Duplex/LC Quad Angled Module** |


This data sheet was generated at 3:57am 17th November 2026 and is subject to change at any time.