Item Code: 200-444







Product Overview

The Excel FTTx Surface mount box and faceplate has been designed due to the increasing amount of Passive Optical LAN and FTTx applications such as Fibre to the Home or Fibre to the Desk, requiring the high speed connections provided by Optical Fibre.

They provide the flexibility by having a number of options, coming either unloaded, with 2 SCAPC simplex adapters, 1 LCAPC duplex adapter or 2 LCAPC duplex adapters. Inside the surface mount box there are a number of fingers to manage a coil of fibre, to the adapter.

Product Specifications


Feature	Values
Type of connector	LC/APC duplex
With couplers	yes
Suitable for number of couplers	2
Suitable for type of fibre	Single mode
Width	22 mm
Height	86.2 mm
Depth	86.2 mm

Excel Enbeam FTTX Outlet White Loaded with 2x Shuttered LC/APC Duplex adapters

Item Code: 200-444



Product drawing





Item Code: 200-444



Standards

Applicable standard Detail	
IEC 61754-1:2013 Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance	
ISO/IEC 11801-1:2017 Information technology - Generic cabling for customer premises: Part 1 General Requirements	
EN 50173-1:2018 Information technology. Generic cabling systems - General requirements	
UL-94-V-0 Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.	
RoHS-II/-III (2011/65/EU & 2015/863): 2023Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).	
WFD: 2023 Compliant to Waste Framework Directive	
SCIP: 2023 Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)	
POPs (EU) No 2019/1021 EU Regulation for the restriction of Persistent Organic Pollutants.	

Part Number Table

Part Number	Description
200-421	Excel Enbeam FTTx Outlet White Unloaded
200-422	Excel Enbeam FTTx Outlet White Loaded with 2x SC/APC adapters
200-423	Excel Enbeam FTTx Outlet White Loaded with 2x LC/APC Duplex adapters
200-424	Excel Enbeam FTTx Outlet White Loaded with $1x$ LC/APC Duplex adapter
200-443	Excel Enbeam FTTx Outlet White Loaded with 2x Shuttered SC/APC adapters
200-444	Excel Enbeam FTTX Outlet White Loaded with 2x Shuttered LC/APC Duplex adapters
200-445	Excel Enbeam FTTX Outlet White Loaded with 1x Shuttered LC/APC Duplex adapter

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.