

Excel Enbeam FTTX Outlet White Loaded with 1x Shuttered LC/APC Duplex adapter

Item Code: 200-445



- ✕ FTTX Surface mount box and faceplate
- ✕ Available in LC/APC Duplex or SC/APC Simplex
- ✕ Easy installation
- ✕ For use in the residential market or Fibre to the Desk applications
- ✕ 25 Year system warranty

Product Overview

The Excel FTTX Surface mount box and faceplate has been designed due to the increasing amount of Passive Optical LAN and FTTX applications such as Fibre to the Home or Fibre to the Desk, requiring the high speed connections provided by Optical Fibre.

They provide the flexibility by having a number of options, coming either unloaded, with 2 SCAPC simplex adapters, 1 LCAPC duplex adapter or 2 LCAPC duplex adapters. Inside the surface mount box there are a number of fingers to manage a coil of fibre, to the adapter.

Product Specifications


| Feature | Values |
|---------------------------------|---------------|
| Type of connector | LC/APC duplex |
| With couplers | yes |
| Suitable for number of couplers | 2 |
| Suitable for type of fibre | Single mode |
| Width | 22 mm |
| Height | 86.2 mm |
| Depth | 86.2 mm |

Excel Enbeam FTTX Outlet White Loaded with 1x Shuttered LC/APC Duplex adapter

Item Code: 200-445



Product drawing



Excel Enbeam FTTX Outlet White Loaded with 1x Shuttered LC/APC Duplex adapter

Item Code: 200-445



Standards

| Applicable standard | Detail |
|--|---|
| IEC 61754-1:2013 | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance |
| ISO/IEC 11801-1:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements |
| EN 50173-1:2018 | Information technology. Generic cabling systems - General requirements |
| UL-94-V-0 | Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed. |
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Part Number Table

| Part Number | Description |
|-------------|--|
| 200-421 | Excel Enbeam FTTX Outlet White Unloaded |
| 200-422 | Excel Enbeam FTTX Outlet White Loaded with 2x SC/APC adapters |
| 200-423 | Excel Enbeam FTTX Outlet White Loaded with 2x LC/APC Duplex adapters |
| 200-424 | Excel Enbeam FTTX Outlet White Loaded with 1x LC/APC Duplex adapter |
| 200-443 | Excel Enbeam FTTX Outlet White Loaded with 2x Shuttered SC/APC adapters |
| 200-444 | Excel Enbeam FTTX Outlet White Loaded with 2x Shuttered LC/APC Duplex adapters |
| 200-445 | Excel Enbeam FTTX Outlet White Loaded with 1x Shuttered LC/APC Duplex adapter |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.