

# Enbeam FTTH Outlet up to 8 Fibres (Unloaded)

Item Code: 200-448

**excel**  
without compromise.



✕ Hinged splice tray holds up to 8 heatshrink splice protectors

✕ Multiple cable entry points

✕ Fixing hardware included

✕ For use with flangeless adaptors

✕ Accepts LC duplex or SC simplex adaptors

✕ 4x 40mm splice protectors supplied as standard

## Product Overview

The Excel Enbeam FTTH Surface Mount Box has been designed for applications such as Fibre to the Home or Fibre to the Desk.

This Wall outlet can also be fitted with a DIN rail mounting plate for installations requiring DIN mounting capability.

## Product Specifications

Feature	Values
Suitable for number of couplers	4
Suitable for type of fibre	Multi mode/single mode
Width	100 mm
Height	80.6 mm
Depth	29.5 mm

# Enbeam FTTH Outlet up to 8 Fibres (Unloaded)

Item Code: 200-448


## Additional specifications

Features	Values
Capacity for 2 port	4 Fibres
Capacity for 4 port	8 Fibres
Material	ABS Plastic
Colour	White
Weight	83 grams
Operating Temperature	-20 to +85 °C

## Included accessories

Accessories	2-port	4-port
Splice Protectors	2	4
Wall fixings	1 set	1 set

## Product drawing



## Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements

# Enbeam FTTH Outlet up to 8 Fibres (Unloaded)

Item Code: 200-448



EN 50173-1:2011

Information technology. Generic cabling systems - General requirements

UL-94-V-0

Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.

RoHS

Restriction of Hazardous Substances - Compliant

## Part Number Table

Part Number	Description
200-446	Enbeam FTTH Outlet up to 4 Fibres (Unloaded)
200-447	Enbeam FTTH Outlet loaded w/ 2xSC/APC OS1/OS2 Simplex Adaptors
200-448	Enbeam FTTH Outlet up to 8 Fibres (Unloaded)
200-449	Enbeam FTTH Outlet loaded w/ 4xSC/APC Simplex Adaptors

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.