

# Excel Enbeam 24 Way Singlemode Fibre Optic Panel 4 SC Duplex (8 Fibre) Blue

excel  
without compromise.

Part Code: 200-480

sales@excel-networking.com  
excel-networking.com

CIBSE TM65 Embodied Carbon: 20.161 kg CO2e



## Main Features

- / Loaded with flangeless adaptors
- / Up to 48 fibres
- / Recessed adaptors
- / Multiple cable entry to rear
- / 1U rack space design
- / 25 year system warranty

## Product Overview

The Excel range of SC patch panels are sliding drawer "tray style" housings suitable for either direct termination or splicing of up to 48 fibres in 1U of rack space. Each panel is manufactured from high quality 2 mm thick steel powder coat finish to provide a strong and durable unit.

To the front of the patch panel the specified number of duplex adaptors are loaded from left to right. Each panel utilises colour coded adaptors, beige, aqua and violet for multimode, blue for singlemode and green for SM APC. Each duplex adaptor accommodates two terminated fibres.

Each panel has included within it a set of fixing brackets, and a cable management pack which includes cable entry glands, cable ties, and a 24 way splice bridge.

# Excel Enbeam 24 Way Singlemode Fibre Optic Panel 4 SC Duplex (8 Fibre) Blue

Part Code: 200-480

sales@excel-networking.com  
excel-networking.com

Note that SC panels can be assembled to order using a combination of adaptors, pigtails and splice cassettes - call to enquire.

## Product Specifications

Feature	Values
Suitable for number of fibre cores	<b>48</b>
Suitable for number of module inserts	<b>24</b>
Loaded with number of couplings/adapters	<b>4</b>
With pigtails	<b>no</b>
Fibre type	<b>Single mode</b>
Fibre class	<b>OS2</b>
APC-type	<b>no</b>
Type of connector external	<b>SC duplex</b>
Type of connector interior	<b>SC duplex</b>
Colour	<b>Black</b>
RAL-number	<b>9005</b>
Mounting method	<b>482.6 mm (19 inch) mounting</b>
Number of rack units (RU)	<b>1</b>
Height	<b>43.5 mm</b>
Width	<b>483 mm</b>
Depth	<b>219.5 mm</b>

# Excel Enbeam 24 Way Singlemode Fibre Optic Panel 4 SC Duplex (8 Fibre) Blue

Part Code: 200-480

sales@excel-networking.com  
excel-networking.com

## Additional specifications

Feature	Value
Operating Temperature	-40 to +80 °C
IP Rating	IP20
Cable Entry 20mm	2
Cable Entry 25mm	2
Material	Cold rolled steel
Material Thickness	1.2 mm
Material Coating	Powder coating
RoHs Compliant Adaptor	Yes
Designed in accordance with	ISO/IEC 11801, IEC60304, IEC61754, TIA/EIA 568.D

## Included accessories

Accessories	Quantity
Cable Gland (PG 13.5)	1
Cable Gland (PG 19)	1
Nylon cable tie	7
Adjustable cable tie	4
24 Position splice holder	1 to 3 Dependant on fibre count
Label holder (210 x 9.2 mm)	2
Mounting twist tie	4
Cage nuts and screws	1 pack

Excel Enbeam 24 Way Singlemode Fibre Optic Panel 4 SC  
Duplex (8 Fibre) Blue



Part Code: 200-480

sales@excel-networking.com  
excel-networking.com


Product drawings



# Excel Enbeam 24 Way Singlemode Fibre Optic Panel 4 SC Duplex (8 Fibre) Blue

Part Code: 200-480

sales@excel-networking.com  
excel-networking.com



# Excel Enbeam 24 Way Singlemode Fibre Optic Panel 4 SC Duplex (8 Fibre) Blue

Part Code: 200-480

sales@excel-networking.com  
excel-networking.com

## Part Code Table

Part Code	Description
200-401	Excel Enbeam 24 Way Multimode Fibre Optic Panel 4 SC Duplex (8 Fibre) Beige
200-405	Excel Enbeam 24 Way Multimode Fibre Optic Panel 6 SC Duplex (12 Fibre) Beige
200-406	Excel Enbeam 24 Way Multimode Fibre Optic Panel 8 SC Duplex (16 Fibre) Beige
200-407	Excel Enbeam 24 Way Multimode Fibre Optic Panel 12 SC Duplex (24 Fibre) Beige
200-408	Excel Enbeam 24 Way Multimode Fibre Optic Panel 24 SC Duplex (48 Fibre) Beige
200-411	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 24 SC Duplex (48 Fibre) Blue
200-480	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 4 SC Duplex (8 Fibre) Blue
200-481	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 6 SC Duplex (12 Fibre) Blue
200-482	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 8 SC Duplex (16 Fibre) Blue
200-483	Excel Enbeam 24 Way Singlemode Fibre Optic Panel 12 SC Duplex (24 Fibre) Blue
203-530	Excel Enbeam 24 Way Multimode Fibre Optic Panel 12 SC Duplex (24 Fibre) Aqua
203-532	Excel Enbeam 24 Way Multimode Fibre Optic Panel 24 SC Duplex (48 Fibre) Aqua
204-530	Excel Enbeam 24 Way Multimode Fibre Optic Panel 12 SC Duplex (24 Fibre) Violet
204-532	Excel Enbeam 24 Way Multimode Fibre Optic Panel 24 SC Duplex (48 Fibre) Violet