

Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 12 SC Duplex (24 Fibre)

Item Code: 200-483



Loaded with flangeless adaptors

Multiple cable entry to rear

Up to 48 fibres

1U rack space design

Recessed adaptors

25 year system warranty

Product Overview

The Excel range of SC patch panels are sliding drawer "tray style" housings suitable for either direct termination or splicing of up to 48 fibres in 1U of rack space. Each panel is manufactured from high quality 2 mm thick steel powder coat finish to provide a strong and durable unit.

To the front of the patch panel the specified number of duplex adaptors are loaded from left to right. Each panel utilises colour coded adaptors, beige, aqua and violet for multimode, blue for singlemode and green for SM APC. Each duplex adaptor accommodates two terminated fibres.

Each panel has included within it a set of fixing brackets, and a cable management pack which includes cable entry glands, cable ties, and a 24 way splice bridge.

Note that SC panels can be assembled to order using a combination of adaptors, pigtails and splice cassettes - call to enquire.

Product Specifications

| Feature | Values |
|--|-------------|
| Suitable for number of fibre cores | 48 |
| Suitable for number of module inserts | 24 |
| Loaded with number of couplings/adapters | 12 |
| With pigtails | no |
| Fibre type | Single mode |
| Fibre class | OS2 |
| APC-type | no |

Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 12 SC Duplex (24 Fibre)

Item Code: 200-483



| | |
|----------------------------|-----------------------------|
| Type of connector external | SC duplex |
| Type of connector interior | SC duplex |
| Colour | Black |
| RAL-number | 9005 |
| Mounting method | 482.6 mm (19 inch) mounting |
| Number of rack units (RU) | 1 |
| Height | 43.5 mm |
| Width | 483 mm |
| Depth | 219.5 mm |

Additional specifications

| Feature | Value |
|-----------------------------|--|
| Operating Temperature | -40 to +80 °C |
| IP Rating | IP20 |
| Cable Entry 20mm | 2 |
| Cable Entry 25mm | 2 |
| Material | Cold rolled steel |
| Material Thickness | 1.2mm |
| Material Coating | Powder Coating |
| RoHs Compliant Adaptor | Yes |
| Designed in accordance with | ISO/IEC 11801, IEC60304, IEC61754, TIA/EIA 568.D |

Included accessories

| Accessories | Quantity |
|------------------------------|---------------------------------|
| Cable Gland (PG 13.5) | 1 |
| Cable Gland(PG 19) | 1 |
| Nylon cable tie | 7 |
| Adjustable cable tie | 4 |
| 24 Position splice holder | 1 to 3 Dependant on fibre count |
| Label holder (210 x 9.2 mm) | 2 |
| Mounting twist tie | 4 |

Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 12
SC Duplex (24 Fibre)

Item Code: 200-483



Cage nuts and screws

1pk

Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 12
SC Duplex (24 Fibre)


Item Code: 200-483



Product drawings

Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 12 SC Duplex (24 Fibre)

Item Code: 200-483



Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 12 SC Duplex (24 Fibre)

Item Code: 200-483



Part Number Table

| Part Number | Description |
|-------------|--|
| 200-401 | Excel Enbeam 24 Way MM OM2 Fibre Optic Panel 4 SC Duplex (8 Fibre) |
| 200-405 | Excel Enbeam 24 Way MM OM2 Fibre Optic Panel 6 SC Duplex (12 Fibre) |
| 200-406 | Excel Enbeam 24 Way MM OM2 Fibre Optic Panel 8 SC Duplex (16 Fibre) |
| 200-407 | Excel Enbeam 24 Way MM OM2 Fibre Optic Panel 12 SC Duplex (24 Fibre) |
| 200-408 | Excel Enbeam 24 Way MM OM2 Fibre Optic Panel 24 SC Duplex (48 Fibre) |
| 200-411 | Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 24 SC Duplex (48 Fibre) |
| 200-480 | Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 4 SC Duplex (8 Fibre) |
| 200-481 | Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 6 SC Duplex (12 Fibre) |
| 200-482 | Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 8 SC Duplex (16 Fibre) |
| 200-483 | Excel Enbeam 24 Way SM OS2 Fibre Optic Panel 12 SC Duplex (24 Fibre) |
| 203-530 | Excel Enbeam 24 Way MM OM3 Fibre Optic Panel 12 SC Duplex (24 Fibre) |
| 203-532 | Excel Enbeam 24 Way MM OM3 Fibre Optic Panel 24 SC Duplex (48 Fibre) |
| 204-530 | Excel Enbeam 24 Way MM OM4 Fibre Optic Panel 12 SC Duplex (24 Fibre) |
| 204-532 | Excel Enbeam 24 Way MM OM4 Fibre Optic Panel 24 SC Duplex (48 Fibre) |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.