Item Code: 202-007









X 100% optically tested
 X Test certificate included
 X Low loss connectors
 X Zirconia ceramic UPC ferrules
 X Polarity changeable (duplex connectors)
 X 25 year system warranty

X CIBSE TM65 Embodied Carbon: 0.786 kg CO2e

#### **Product Overview**

Excel OM1  $62.5/125 \mu m$  duplex patch leads are manufactured from the highest quality  $900 \mu m$  buffer/jacket optical fibre, terminated with ceramic ferrule connectors.

Each cable has strain relief boots to prolong and maintain performance levels of the assembly, transmit and receive 'legs' of each duplex cable are identified by means of ring type cable marker fixed to each end the assembly. A short distance from these identification rings heat shrink is applied to maintain an easy to manage bonded two fibre cable, finally a label containing a unique batch number is fixed to the centre of cable for quality and traceability purposes.

### **Product Specifications**

| Values              |
|---------------------|
| Multi mode 62.5/125 |
| OM1                 |
| 2                   |
| 2 mm                |
| Duplex              |
| 15 m                |
| LC                  |
|                     |

Item Code: 202-007



| Type of connector connection 2             | ST      |
|--------------------------------------------|---------|
| Outer sheath colour                        | Grey    |
| Strain relief boot                         | Push-on |
| Flame retardant according to IEC 60332-1-2 | yes     |
| Low smoke (acc. IEC 61034-2)               | yes     |

### **Cable specifications**

| Features                     | Values                 | ST Assemblies           | SC Assemblies           | LC Assemblies               |
|------------------------------|------------------------|-------------------------|-------------------------|-----------------------------|
| Cable Construction           | Duplex zip-cord        |                         |                         |                             |
| No. of Fibres                | 2                      |                         |                         |                             |
| Cable Dimensions             |                        | 2.8 x 5.7mm             | 2.8 x 5.7mm             | 2.0 x 4.0mm                 |
| Colour                       | Grey or Orange         |                         |                         |                             |
| Strength members             | Aramid Yarn            |                         |                         |                             |
| Temperature range            | -20C to +70C           |                         |                         |                             |
| Connector Material           |                        | Nickel plated Brass     | Composite               | Composite                   |
| Minimum bend radius (loaded) | 10 x cable<br>diameter |                         |                         |                             |
| Connector Ferrule            |                        | 2.5mm Zirconium ceramic | 2.5mm Zirconium ceramic | 1.25mm<br>Zirconium ceramic |
| Ferrule End Face             | PC Polish              |                         |                         |                             |
| Connector<br>Insertion Loss  | Max. 0.3dB             |                         |                         |                             |

### **Fibre specifications**

| Features                             | Values               |
|--------------------------------------|----------------------|
| Core diameter                        | $62.5 \pm 2.5 \mu m$ |
| Core Non-circularity                 | ≤5%                  |
| Core-Cladding Concentricity Error    | ≤1.5µm               |
| Cladding diameter                    | $125 \pm 1.0 \mu m$  |
| Cladding Non-circularity             | ≤1.0%                |
| Primary Coating diameter             | $245 \pm 7 \mu m$    |
| Coating-Cladding Concentricity Error | ≤10.0µm              |

Item Code: 202-007




| Coating Non-circularity                              | ≤6.0%          |
|------------------------------------------------------|----------------|
| Secondary coating diameter                           | 900 μm nominal |
| Max. attenuation at 850nm                            | 2.7dB/km       |
| Max attenuation at 1300nm                            | 0.6dB/km       |
| Refractive Index at 850nm                            | 1.496          |
| Refractive Index at 1300nm                           | 1.491          |
| Bandwidth at 850nm                                   | 200 MHz.km     |
| Bandwidth at 1300nm                                  | 500 MHz.km     |
| Nµmerical Aperture                                   | 0.275 ±0.015   |
| Zero Dispersion Wavelength                           | 1320-1365nm    |
| Macrobending Loss - 100 turns, 37.5mm Radius, 850nm  | ≤0.50dB        |
| Macrobending Loss - 100 turns, 37.5mm Radius, 1300nm | ≤0.50dB        |
| Coating Strip Force (typical)                        | 1.5N           |
| Coating Strip Force (peak)                           | 1.3 - 8.9N     |


Item Code: 202-007



### **Cross-section diagram**



#### **Product Schematics**



Item Code: 202-007



#### **Standards**

| Applicable standard                        | Detail                                                                                                                                                                                  |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BS EN 60332-1-2:2004+A11:2016              | Tests on electric and optical fibre cables under fire conditions - Test for vertical flame propagation for a single insulated wire or cable. Procedure for 1 kW pre-mixed flame         |
| IEC 60793-1-1:2022                         | Optical fibres - Part 1-1: Measurement methods and test procedures - General and guidance                                                                                               |
| IEC 60793-2:2015                           | Optical fibres - Part 2: Product specifications - General                                                                                                                               |
| IEC 60793-2-10:2017                        | Sectional specification for A1 multimode fibres                                                                                                                                         |
| IEC 60793-1-20:2014                        | Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry                                                                                                    |
| IEC 60793-1-21:2001                        | Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry                                                                                                  |
| IEC 60793-1-22:2001                        | Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement                                                                                                |
| IEC 60793-1-30:2010                        | Optical fibres - Part 1-30: Measurement methods and test procedures - Fibre proof test                                                                                                  |
| IEC 60793-1-31:2010                        | Optical fibres - Part 1-31: Measurement methods and test procedures - Tensile Strength                                                                                                  |
| ITU G.651.1                                | Characteristics of a 50/125 $\mu m$ multimode graded index optical fibre cable for the optical access network                                                                           |
| EN 50173-1:2018                            | Information technology. Generic cabling systems - General requirements                                                                                                                  |
| EN 50173-2:2007 + A1:2010                  | Information technology. Generic cabling systems - Office premises                                                                                                                       |
| IEC 61754-1:2013                           | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance                                                            |
| IEC 61754-2:1996                           | Fibre optic connector interfaces - Part 2: Type BFOC/2,5 connector family                                                                                                               |
| IEC 61754-4:2013                           | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 4: Type SC connector family                                                        |
| IEC 61754-4-100:2015                       | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 4-100: Type SC connector family - Simplified receptacle SC-PC connector interfaces |
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).         |

Item Code: 202-007



| WFD: 2023              | Compliant to Waste Framework Directive                                                                  |
|------------------------|---------------------------------------------------------------------------------------------------------|
| SCIP: 2023             | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants.                                     |

#### **Part Number Table**

| Part Number | Description                                                                                |
|-------------|--------------------------------------------------------------------------------------------|
| 200-181     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 1 m $$       |
| 200-182     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 2 m          |
| 200-183     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 3 m          |
| 200-184     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 5 m          |
| 200-185     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-SC Multimode 62.5/125 DX LS0H Grey 1 m $$       |
| 200-186     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-SC Multimode 62.5/125 DX LS0H Grey 2 m          |
| 200-187     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-SC Multimode 62.5/125 DX LS0H Grey 3 m          |
| 200-188     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-SC Multimode 62.5/125 DX LS0H Grey 5 m          |
| 200-189     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 1 $\mbox{m}$ |
| 200-190     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 2 m          |
| 200-191     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 3 m          |
| 200-192     | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 5 m          |
| 200-290     | Excel Enbeam OM1 Fibre Optic Patch Lead ST-ST Multimode 62.5/125 DX LS0H Grey 1 m $$       |
| 200-300     | Excel Enbeam OM1 Fibre Optic Patch Lead ST-ST Multimode 62.5/125 DX LS0H Grey 2 m          |
| 200-310     | Excel Enbeam OM1 Fibre Optic Patch Lead ST-ST Multimode 62.5/125 DX LS0H Grey 3 m          |

excel without compromise.

Item Code: 202-007

| 200-320   Excel Enbeam OM1 Fibre Optic Patch Lead ST-ST Multimode 62.5/125 DX LSOH Grey 5 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|
| Grey 10 m  200-326 Excel Enbeam OM1 Fibre Optic Patch Lead ST-ST Multimode 62.5/125 DX LSOH Grey 15 m  200-329 Excel Enbeam OM1 Fibre Optic Patch Lead ST-ST Multimode 62.5/125 DX LSOH Grey 20 m  200-500 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-510 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 2 m  200-520 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-524 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-525 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-526 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-526 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 20 m  200-530 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-600 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-610 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-620 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 2 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-631 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-632 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-633 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m | 200-320 | ·   |
| Grey 15 m  200-329 Excel Enbeam OM1 Fibre Optic Patch Lead ST-ST Multimode 62.5/125 DX LS0H Grey 20 m  Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H Grey 1 m  200-510 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H Grey 2 m  200-520 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H Grey 3 m  200-524 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H Grey 10 m  200-525 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H Grey 10 m  200-526 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H Grey 20 m  200-530 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H Grey 5 m  200-600 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H Grey 5 m  200-610 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 1 m  200-620 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 2 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 2 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 10 m  200-631 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 5 m  200-632 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 10 m  200-633 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 10 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 10 m  200-635 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 10 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 10 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 10 m                                                                                                     | 200-324 | ·   |
| Grey 20 m  200-500                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 200-326 |     |
| Grey 1 m  200-510 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 2 m  200-520 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-524 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-525 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-526 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 20 m  200-530 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-600 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-610 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-620 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 2 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-635 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m                                                                                                                                                                                         | 200-329 |     |
| Grey 2 m  200-520 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-524 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-525 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-526 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 20 m  200-530 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-600 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-610 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 2 m  200-620 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-635 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 200-500 | ·   |
| Grey 3 m  200-524 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-525 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-526 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 20 m  200-530 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-600 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-610 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 2 m  200-620 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-635 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-637 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-638 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-639 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 200-510 |     |
| Grey 10 m  200-525 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-526 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 20 m  200-530 Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-600 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-610 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 2 m  200-620 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-635 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 20 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-001 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  202-001 Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 200-520 | ·   |
| Grey 15 m  200-526  Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 20 m  200-530  Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-600  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 1 m  200-610  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 2 m  200-620  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-630  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-634  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-635  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-636  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 20 m  202-000  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 20 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 200-524 | ·   |
| Grey 20 m  200-530                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 200-525 | ·   |
| Grey 5 m  200-600 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 1 m  200-610 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 2 m  200-620 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 3 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 5 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 10 m  200-635 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 15 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 20 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 10 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 200-526 | ·   |
| Grey 1 m  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 2 m  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 5 m  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 20 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 200-530 | ·   |
| Grey 2 m  200-620 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 3 m  200-630 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-635 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 20 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 200-600 | ·   |
| Grey 3 m  200-630  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 5 m  200-634  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-635  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-636  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 20 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 200-610 | ·   |
| Grey 5 m  200-634 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 10 m  200-635 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 15 m  200-636 Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LSOH Grey 20 m  202-000 Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH Grey 10 m  202-001 Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LSOH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 200-620 | · · |
| Grey 10 m  200-635  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 15 m  200-636  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 20 m  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 10 m  202-001  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 200-630 | ·   |
| Grey 15 m  200-636  Excel Enbeam OM1 Fibre Optic Patch Lead ST-SC Multimode 62.5/125 DX LS0H Grey 20 m  202-000  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 10 m  202-001  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 200-634 | ·   |
| Grey 20 m  202-000  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 10 m  202-001  Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 200-635 | ·   |
| Grey 10 m  202-001 Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 200-636 | ·   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 202-000 | ·   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 202-001 |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |     |

excel without compromise.

Item Code: 202-007

| 202-002 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 20 m  |
|---------|-------------------------------------------------------------------------------------|
| 202-003 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-SC Multimode 62.5/125 DX LS0H Grey 10 m  |
| 202-004 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-SC Multimode 62.5/125 DX LS0H Grey 15 m  |
| 202-006 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 10 m  |
| 202-007 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 15 m  |
| 202-008 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 20 m  |
| 202-170 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-LC Multimode 62.5/125 DX LS0H Grey 0.5 m |
| 202-177 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-SC Multimode 62.5/125 DX LS0H Grey 0.5 m |
| 202-180 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-SC Multimode 62.5/125 DX LS0H Grey 30 m  |
| 202-183 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 0.5 m |
| 202-186 | Excel Enbeam OM1 Fibre Optic Patch Lead LC-ST Multimode 62.5/125 DX LS0H Grey 30 m  |
| 202-190 | Excel Enbeam OM1 Fibre Optic Patch Lead SC-SC Multimode 62.5/125 DX LS0H            |
|         | Grey 0.5 m                                                                          |
| 202-193 | ·                                                                                   |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.