

# Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port LC Quad 48-Core Multimode

Part Code: 202-034

sales@excel-networking.com  
excel-networking.com

CIBSE TM65 Embodied Carbon: 17.642 kg CO2e



## Main Features

- / Choice of port density
- / Interchangeable adaptor plate
- / Individual locks
- / Available in ST, SC (duplex) and LC (quad)
- / Hinged lockable doors
- / Cable management kit included

## Product Overview

Excel patch boxes designed for high-density and secure terminations. Their two door design ensures that both the terminations and the patching are safe. The boxes have 20mm knockouts and pre-drilled fixing holes.

## Product Specifications

Feature	Values
---------	--------

# Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port LC Quad 48-Core Multimode

Part Code: 202-034

sales@excel-networking.com  
excel-networking.com

Surface mounted	<b>Wall Mount - 2 Door Lockable</b>
Type of fastening	<b>Screwing</b>
Type of connector	<b>LC-Quad</b>
With couplers	<b>12 Port Loaded</b>
Suitable for number of couplers	<b>12</b>
Suitable for type of fibre	<b>Multi mode</b>
Separate strain relief kit	<b>Cable Gland/Splice Bridge/Adhesive cable ties</b>
IP-rating	<b>IP20</b>
Width	<b>362 mm</b>
Height	<b>250 mm</b>
Depth	<b>90 mm</b>

## Additional specifications

Features	Values
Operating Temperature	<b>-25°C to +40°C</b>
Cable Entry 20mm knock outs	<b>4</b>
Material	<b>Cold rolled steel</b>
Colour	<b>White RAL 9002</b>
Material Thickness	<b>1.2mm</b>
Material Coating	<b>Powder Coating</b>

# Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port LC Quad 48-Core Multimode

Part Code: 202-034

sales@excel-networking.com  
excel-networking.com

## Included accessories

Accessories	Quantity
Cable Gland (PG 13.5)	2
Nylon cable tie	10
Adjustable cable tie	6
24 Position splice holder	1
Mounting twist tie	46
Blanking plug	4

## Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances

# Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port LC Quad 48-Core Multimode

Part Code: 202-034

sales@excel-networking.com  
excel-networking.com

of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.

---

Regulation (EU) 2019/1021 (POPs)

EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).

---

UK SI 2012 No. 3032

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

---

# Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port LC Quad 48-Core Multimode



Part Code: 202-034

sales@excel-networking.com  
excel-networking.com


## Product drawings



# Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port LC Quad 48-Core Multimode

Part Code: 202-034

sales@excel-networking.com  
excel-networking.com



# Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port LC Quad 48-Core Multimode

Part Code: 202-034

sales@excel-networking.com  
excel-networking.com

## Part Code Table

Part Code	Description
202-033	Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 6 Port LC Quad 24-Core Multimode
202-034	Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port LC Quad 48-Core Multimode
202-035	Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port ST
202-036	Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 24 Port ST
202-037	Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 6 Port SC Duplex
202-038	Excel Enbeam 2 Door Lockable Wall Mounted Enclosure 12 Port SC Duplex 24-Core Multimode