Excel Enbeam PG 16 Cable Glands with Strain Relief For Cable sizes 9 - 14 mm

Part Code: 202-098

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.160 kg CO2e



Main Features

/ CIBSE TM65 Embodied Carbon: 0.160 kg CO2e

Product Overview

Compression glands are used to provide strain relief for cables as they enter patch panels and wall boxes. The glands are resistant to both benzene and oil.

The gland is supplied with a lock nut as standard. Cable diameters from 2.6 mm to 14 mm can be accommodated.

Product Specifications

Feature	Values
Type of accessory/spare part	**Cable gland**

This data sheet was generated at 12:01am 30th October 2026 and is subject to change at any time.

Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Code Table

Part Code	Description
200-120	**Excel Enbeam Self Adhesive Twist Clips 9.2 mm/26.1 mm (100-Pack)**
200-125	**Excel Enbeam S24 Splice Tray for FOSC Type A Closure**
200-367	**Excel Enbeam SC Duplex Clip Beige**

This data sheet was generated at 12:01am 30th October 2026 and is subject to change at any time.

Excel Enbeam PG 16 Cable Glands with Strain Relief For Cable sizes 9 - 14 mm

Part Code: 202-098

sales@excel-networking.com
excel-networking.com

200-367-AQ	**Excel Enbeam SC Duplex Clip Aqua**
200-367-BL	**Excel Enbeam SC Duplex Clip Blue**
200-367-VT	**Excel Enbeam SC Duplex Clip Violet**
200-391	**Excel Enbeam Splice Holder 24 Way**
200-395	**Excel Enbeam Blanking Plug SC Duplex / LC Quad**
200-396	**Excel Enbeam 48 Way Splice Holder**
200-903	**Excel Enbeam Epoxy 3cc Syringe and Needle (5-Pack)**
200-906	**Excel Enbeam Lint Free Dry Cleaning Wipes (100-Pack)**
200-911	**Excel Enbeam Pre-saturated IPA Cleaning Wipes (80-Pack)**
200-922	**Excel Enbeam Fibre/Sharps Waste Disposal Bin**
200-930	**Excel Enbeam Blanking Plug LC Duplex / SC Simplex**
202-080	**Enbeam Cold-Cure Fibre Connector Adhesive and Activator**
202-094	**Excel Enbeam Isopropyl Alcohol (IPA) 1 Litre**
202-096	**Excel Enbeam PG 11 Cable Glands with Strain Relief For Cable sizes 4 - 10 mm**
202-097	**Excel Enbeam PG 13.5 Cable Glands with Strain Relief For Cable sizes 6 - 12 mm**
202-098	**Excel Enbeam PG 16 Cable Glands with Strain Relief For Cable sizes 9 - 14 mm**
202-105	**Excel Enbeam Splice Cassette**
202-106	**Excel Enbeam Splice Holder 8 Splices**
202-112	**Fibre Protection Tubes 2.5mm**
202-114	**Air Duster - Compressed Air Canister**
208-023	**Excel Enbeam LC Connector Extraction Tool**
208-172	**Excel Enbeam Adaptor Extraction Tool**

This data sheet was generated at 12:01am 30th October 2026 and is subject to change at any time.