Excel Enbeam OM3 Multimode Zipcord Fibre Optic Cable 2 Core 50/125 Aqua

Item Code: 203-064









Product Overview

Excel Fibre Optic Zipcord Cable is designed around two 2.8mm fibre cables. This robust construction is ideal for short run indoor patching or for use where frequent handling is likely, for example equipment rooms or wiring closets.

Each cable is jacketed in low smoke, zero halogen material and are available in a choice of colours. Fibres are buffered to 900 micron and can be used with standard connectors and adaptors.

Product Specifications


Feature	Values
Number of Cores	2
Type of tube	Zipcord
Fibre type	Multi mode 50/125
Category	OM3
Outer sheath colour	Aqua
Flame retardant according to IEC 60332-1-2	yes

Excel Enbeam OM3 Multimode Zipcord Fibre Optic Cable 2 Core 50/125 Aqua

Item Code: 203-064



Cross-section diagram



Additional specifications

Features	Values
Insertion Loss	< 0.2 dB
Durability (500 Mating)	0.2 dB Max Increase
Operating Temperature	-40°C to +80°C
Retention Force	200 – 600 grams

Part Number Table

Part Number	Description
202-052	Excel Enbeam OM1 Multimode Zipcord Fibre Optic Cable 2 Core 62.5/125 LS0H Orange
202-054	Excel Enbeam OM1 Multimode Zipcord Fibre Optic Cable 2 Core 62.5/125 LS0H Grey
202-058	Excel Enbeam OM2 Multimode Zipcord Fibre Optic Cable 2 Core 50/125 LS0H Orange
202-059	Excel Enbeam OM3 Multimode Zipcord Fibre Optic Cable 2 Core 50/125 LS0H Orange
202-060	Excel Enbeam OS2 Singlemode Zipcord Fibre Optic Cable Duplex 2 Core 9/125 LS0H Yellow
202-130	Excel Enbeam OM3 Multimode Zipcord Fibre Optic Cable 2 Core 50/125 LS0H Black
203-060	Excel Enbeam OS2 Singlemode Zipcord Fibre Optic Cable 2 Core 9/125 LS0H Yellow
203-064	Excel Enbeam OM3 Multimode Zipcord Fibre Optic Cable 2 Core 50/125 Aqua

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.