

Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors

Item Code: 207-402



✕ Intergrated fibre management

✕ Hinged doors

✕ DIN rail release latch

✕ Shuttered adaptors

Product Overview

The Excel Encasa DIN rail mount box has been designed for industrial and FTTH application. The outlet is fixed direct to the DIN rail and offers a compact solution that can be installed in confined spaces requiring connectivity and comes preloaded with 4x SC/APC adaptor.

Product Specifications

Feature	Values
Surface mounted	yes
Type of connector	SC/APC simplex
With couplers	yes
Suitable for number of couplers	4
Suitable for type of fibre	Single mode
Width	18 mm
Height	85 mm
Depth	61 mm

Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors


Item Code: 207-402



Additional specifications

Features	Values
Material	ABS plastic
Colour	White
Operating temperature	-20 to +85 °C
UL-94-V-0	Yes

Product drawings



Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements

Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors

Item Code: 207-402



EN 50173-1:2018

Information technology. Generic cabling systems - General requirements

UL-94-V-0

Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.

RoHS-II/-III (2011/65/EU & 2015/863): 2023

Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).

WFD: 2023

Compliant to Waste Framework Directive

SCIP: 2023

Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)

POPs (EU) No 2019/1021

EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

Part Number	Description
207-402	Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.