



☒ Intergrated fibre management

☒ Hinged doors

☒ DIN rail release latch

☒ Shuttered adaptors

## Product Overview

The Excel Encasa DIN rail mount box has been designed for industrial and FTTH application. The outlet is fixed direct to the DIN rail and offers a compact solution that can be installed in confined spaces requiring connectivity and comes preloaded with 4x SC/APC adaptor.


## Product Specifications

| Feature                         | Values         |
|---------------------------------|----------------|
| Surface mounted                 | yes            |
| Type of connector               | SC/APC simplex |
| With couplers                   | yes            |
| Suitable for number of couplers | 4              |
| Suitable for type of fibre      | Single mode    |
| Width                           | 18 mm          |
| Height                          | 85 mm          |
| Depth                           | 61 mm          |

## Additional specifications

| Features              | Values        |
|-----------------------|---------------|
| Material              | ABS plastic   |
| Colour                | White         |
| Operating temperature | -20 to +85 °C |
| UL-94-V-0             | Yes           |

## Product drawings



## Standards

| Applicable standard  | Detail   |
|----------------------|--|
| IEC 61754-1:2013     | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance |
| ISO/IEC 11801-1:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements                                  |

# Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors

Item Code: 207-402



EN 50173-1:2018

Information technology, Generic cabling systems - General requirements

UL-94-V-0

Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.

RoHS-II/-III (2011/65/EU & 2015/863): 2023

Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).

WFD: 2023

Compliant to Waste Framework Directive

SCIP: 2023

Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)

POPs (EU) No 2019/1021

EU Regulation for the restriction of Persistent Organic Pollutants.

## Part Number Table

| Part Number | Description   |
|-------------|---|
| 207-402     | Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.

