

# Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors

Part Code: 207-402

sales@excel-networking.com  
excel-networking.com



## Main Features

- / Intergrated fibre management
- / Hinged doors
- / DIN rail release latch
- / Shuttered adaptors

## Product Overview

The Excel Encasa DIN rail mount box has been designed for intustrial and FTTH application. The outlet is fixed direct to the DIN rail and offers a compact solution that can be installed in confined spaces requiring connectivity and comes preloaded with 4x SC/APC adaptor.

## Product Specifications

Feature	Values
Surface mounted	yes

# Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors

Part Code: 207-402

sales@excel-networking.com  
excel-networking.com

Type of connector	SC/APC simplex
With couplers	yes
Suitable for number of couplers	4
Suitable for type of fibre	Single mode
Width	18 mm
Height	85 mm
Depth	61 mm

## Additional specifications


Features	Values
Material	ABS plastic
Colour	White
Operating temperature	-20 to +85 °C
UL-94-V-0	Yes

# Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors

Part Code: 207-402

sales@excel-networking.com  
excel-networking.com

## Product drawings



## Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
UL-94-V-0	Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.

# Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors

Part Code: 207-402

sales@excel-networking.com  
excel-networking.com

Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Code Table

Part Code	Description
207-402	<b>Excel Encasa Din Rail SCA Module 4 Fibre Loaded with 4 x SCA Simplex Shuttered Adaptors</b>