

# Excel Encasa FTTH 1 Fibre SCA Outlet Loaded with 1 x SCA Simplex Shuttered Adaptors

Item Code: 207-403

**excel**  
without compromise.



Hinged splice tray holds up to 4 heatshrink splice protectors

Multiple cable entry points

Accepts up to 4 SC Simplex adaptors

Fixing hardware included

## Product Overview

The Excel Encasa FTTH surface mount box has been designed for applications such as fibre to the home or fibre to the desk. This wall outlet also has an integrated DIN rail mounting position for installations requiring DIN mounting capability and comes preloaded with 1x SC/APC adaptor.

## Product Specifications

Feature	Values
Surface mounted	yes
Type of connector	SC/APC simplex
With couplers	yes
Suitable for number of couplers	1
Suitable for type of fibre	Single mode
Width	80 mm
Height	80 mm
Depth	28 mm

# Excel Encasa FTTH 1 Fibre SCA Outlet Loaded with 1 x SCA Simplex Shuttered Adaptors


Item Code: 207-403



## Additional specifications

Features	Values
Material	ABS plastic
Colour	White
Operating temperature	-20 to +85 °C
UL-94-V-0	Yes

## Product drawings



## Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements

# Excel Encasa FTTH 1 Fibre SCA Outlet Loaded with 1 x SCA Simplex Shuttered Adaptors

Item Code: 207-403



EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
UL-94-V-0	Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Number Table

Part Number	Description
207-403	Excel Encasa FTTH 1 Fibre SCA Outlet Loaded with 1 x SCA Simplex Shuttered Adaptors
207-404	Excel Encasa FTTH 2 Fibre SCA Outlet Loaded with 2 x SCA Simplex Shuttered Adaptors
207-405	Excel Encasa FTTH 4 Fibre SCA Outlet Loaded with 4 x SCA Simplex Shuttered Adaptors

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.