



- ☒ Hinged splice tray holds up to 4 heatshrink splice protectors
- ☒ Multiple cable entry points
- ☒ Accepts up to 4 SC Simplex adaptors
- ☒ Fixing hardware included

Product Overview

The Excel Encasa FTTH surface mount box has been designed for applications such as fibre to the home or fibre to the desk. This wall outlet also has an integrated DIN rail mounting position for installations requiring DIN mounting capability and comes preloaded with 1x SC/APC adaptor.

Product Specifications

Feature	Values
Surface mounted	yes
Type of connector	SC/APC simplex
With couplers	yes
Suitable for number of couplers	1
Suitable for type of fibre	Single mode
Width	80 mm
Height	80 mm
Depth	28 mm

Excel Encasa FTTH 1 Fibre SCA Outlet Loaded with 1 x SCA Simplex Shuttered Adaptors


Item Code: 207-403

excel
without compromise.

Additional specifications

Features	Values
Material	ABS plastic
Colour	White
Operating temperature	-20 to +85 °C
UL-94-V-0	Yes

Product drawings



Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements

Excel Encasa FTTH 1 Fibre SCA Outlet Loaded with 1 x SCA Simplex Shuttered Adaptors

Item Code: 207-403



EN 50173-1:2018

Information technology, Generic cabling systems - General requirements

UL-94-V-0

Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.

RoHS-II/-III (2011/65/EU & 2015/863): 2023

Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).

WFD: 2023

Compliant to Waste Framework Directive

SCIP: 2023

Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)

POPs (EU) No 2019/1021

EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

Part Number	Description
207-403	Excel Encasa FTTH 1 Fibre SCA Outlet Loaded with 1 x SCA Simplex Shuttered Adaptors
207-404	Excel Encasa FTTH 2 Fibre SCA Outlet Loaded with 2 x SCA Simplex Shuttered Adaptors
207-405	Excel Encasa FTTH 4 Fibre SCA Outlet Loaded with 4 x SCA Simplex Shuttered Adaptors

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.

