


# Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Quad Adaptors & Pigtails

Item Code: 208-110



- ✕ High Density 6-port LC cassette
- ✕ Complete with splice protectors
- ✕ Can be spliced or direct terminated
- ✕ Pre-termination options
- ✕ Part of the Excel HD panel system
- ✕ OS2, OM3 and OM4 options
- ✕ EC Verified

## Product Overview

The Excel LC High-Density cassette is designed for the Excel HD 1U panel, which has a capacity for 12 cassettes, offering up to 144 fibres per 1U. A range of cassettes are offered and can be mixed and matched as required to offer a highly dense and flexible system for both LC and MTP connectivity.

The LC cassettes can be spliced (12 magnetic splice protectors are included), direct terminated or pre-terminated offering a truly plug-n-play solution. The cassettes can be supplied with or without pigtails. See the part number table below for all options. The pigtails (if supplied) are 12-colours and loaded to TIA 598 colour standard. The cassettes can be inserted into the panel from the front or the rear and feature 2 physical stops, one installed and one for patching.

The panel also offers full and innovative patchcord management to the front and cable management to the rear.

## Product Specifications

Feature	Values
Suitable for number of fibre cores	12
With coupling/adaptor	yes
Type of connector external	LC
Type of connector interior	LC
Fibre type	Multi mode

Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded  
with Quad Adaptors & Pigtails

Item Code: 208-110



APC-type	no
Colour	Grey

Additional specifications


Features	Values
Operating Temperature	-40 to +80 °C
Capacity	12 LC-Fibres per cassette
Width	108mm
Height	12.5mm
Depth	232mm
Material Coating	ABS UL94-V0
Colour	Grey

Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Quad Adaptors & Pigtails

Item Code: 208-110



Product drawing



Standards

Applicable standard	Detail
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

# Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Quad Adaptors & Pigtails

Item Code: 208-110



## Part Number Table

Part Number	Description
208-105	Excel Enbeam HD 6P-12F-LC-OS2 Cassette Loaded with Quad LC Adaptors
208-106	Excel Enbeam HD 6P-12F-LC-OM3 Cassette Loaded with Quad LC Adaptors
208-107	Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Quad LC Adaptors
208-108	Excel Enbeam HD 6P-12F-LC-OS2 Cassette Loaded with Quad Adaptors & Pigtails
208-109	Excel Enbeam HD 6P-12F-LC-OM3 Cassette Loaded with Quad Adaptors & Pigtails
208-110	Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Quad Adaptors & Pigtails

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.