Excel Enbeam HD 4P MTP Coupler Cassette Aligned Key Multimode

Item Code: 208-114









- X High Density 4-port MTP Coupler Module
 X Houses 4 MTP Couplers
 X Key-Aligned and Key-Up/Key-Down Adaptor options
 X Density up to 576 fibres in 1U when fully loaded
 - $\boldsymbol{\mathsf{X}}$ Up to 1152 fibres in 1U with 24-fibre MTP?s
 - X Part of the Excel HD panel system
 - X EC Verified

Product Overview

The Excel LC-MTP High-Density 4-Port through-coupler module is designed for the Excel HD 1U panel, which has a capacity for 12 modules, offering up to 576 fibres per 1U (12-way MTP) or 1152 fibres per 1U (24-way MTP).

The MTP Modules can be mixed and matched with other cassettes within the range to offer a highly flexible patching solution.

Two versions are available? The Multimode version features Aligned-Key adaptors, whilst the Singlemode version supports angled MTP and offers Key-Up/Key-Down Adaptors.

The Modules can be inserted into the panel from the front or the rear and feature 2 physical stops, one installed and one for patching.

The panel also offers full and innovative patch cord management to the front and cable management to the rear.

Product Specifications

Feature	Values
Suitable for number of fibre cores	48/96
With coupling/adapter	yes
Type of connector external	MT/MPO
Type of connector interior	MT/MPO

Excel Enbeam HD 4P MTP Coupler Cassette Aligned Key Multimode

Item Code: 208-114




Fibre type	Multi mode
APC-type	no
Colour	Grey

Additional specifications

Features	Values
Number of MTP	4
Width	109mm
Height	12.7mm
Depth	102mm
Material	ABS UL94-V0
Colour	Grey
Operating temprature	-40 to +80 °C

Product drawing



Excel Enbeam HD 4P MTP Coupler Cassette Aligned Key Multimode

Item Code: 208-114



Standards

Applicable standard	Detail
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

Part Number	Description
208-114	Excel Enbeam HD 4P MTP Coupler Cassette Aligned Key Multimode
208-116	Excel Enbeam HD 4P MTP Coupler Cassette Key Up/Key Down Singlemode

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.