


# Excel Enbeam High Density 12 Port 24 Fibre LC OM3 Cassette Loaded with Duplex Adaptors

Item Code: 208-122

excel  
without compromise.



✕ High Density 24 fibre LC cassette

✕ Complete with splice protectors

✕ Can be spliced or direct terminated

✕ Pre-termination options

✕ OS2, OM3 and OM4 options

✕ 25 Year System Warranty Available

## Product Overview

The Excel LC High-Density cassette is designed for the Excel HD 1U panel, which has a capacity for 6 cassettes, offering up to 144 fibres per 1U. A range of cassettes are offered and can be mixed and matched as required to offer a highly dense and flexible system for both LC and MTP connectivity.

The LC cassettes can be spliced, direct terminated or pre-terminated offering a truly plug-n-play solution. The cassettes can be supplied with or without pigtailed. See the part number table below for all options. The pigtailed (if supplied) are 2x12-colours and loaded to TIA 598 colour standard.

The cassettes can be inserted into the panel from the front or the rear and feature 2 physical stops, one installed and one for patching.

The panel also offers full and innovative patchcord management to the front and cable management to the rear.

## Product Specifications

| Feature                            | Values     |
|------------------------------------|------------|
| Suitable for number of fibre cores | 24         |
| With coupling/adaptor              | yes        |
| Type of connector external         | LC         |
| Type of connector interior         | LC         |
| Fibre type                         | Multi mode |
| Colour                             | Grey       |

# Excel Enbeam High Density 12 Port 24 Fibre LC OM3 Cassette Loaded with Duplex Adaptors


Item Code: 208-122

**excel**  
without compromise.

## Additional specifications

| Features              | Values                    |
|-----------------------|---------------------------|
| Operating Temperature | -40 to +80 °C             |
| Capacity              | 24 LC-Fibres per cassette |
| Width                 | 212.8mm                   |
| Height                | 12.4mm                    |
| Depth                 | 287.3mm                   |
| Material Coating      | ABS UL94-V0               |
| Colour                | Grey                      |

## Product drawing



# Excel Enbeam High Density 12 Port 24 Fibre LC OM3 Cassette Loaded with Duplex Adaptors

Item Code: 208-122



## Standards

| Applicable standard                        | Detail  |
|--|---|
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| IEC 61754-1:2013                           | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance  |
| WFD: 2023                                  | Compliant to Waste Framework Directive  |
| SCIP: 2023                                 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)   |
| POPs (EU) No 2019/1021                     | EU Regulation for the restriction of Persistent Organic Pollutants.   |

## Part Number Table

| Part Number | Description   |
|-------------|---|
| 208-121     | Excel Enbeam High Density 12 Port 24 Fibre LC OS2 Cassette Loaded with Duplex Adaptors            |
| 208-122     | Excel Enbeam High Density 12 Port 24 Fibre LC OM3 Cassette Loaded with Duplex Adaptors            |
| 208-123     | Excel Enbeam High Density 12 Port 24 Fibre LC OM4 Cassette Loaded with Duplex Adaptors            |
| 208-124     | Excel Enbeam High Density 12 Port 24 Fibre LC OS2 Cassette Loaded with Duplex Adaptors & Pigtails |
| 208-125     | Excel Enbeam High Density 12 Port 24 Fibre LC OM3 Cassette Loaded with Duplex Adaptors & Pigtails |
| 208-126     | Excel Enbeam High Density 12 Port 24 Fibre LC OM4 Cassette Loaded with Duplex Adaptors & Pigtails |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.