Item Code: 208-137









- X High Density 12-port MTP Coupler Module
- X Houses 12 MTP Couplers
- X Key-Aligned and Key-Up/Key-Down Adaptor options
- X Density up to 864 fibres in 1U when fully loaded
- X Up to 1728 fibres in 1U with 24-fibre MTPs
- X Part of the Excel HD panel system

#### **Product Overview**

The Excel LC-MTP High-Density 12-Port through-coupler module is designed for the Excel HD 1U panel, which has a capacity for 6 modules, offering up to 864 fibres per 1U (12-way MTP) or 1728 fibres per 1U (24-way MTP).

The MTP Modules can be mixed and matched with other cassettes within the range to offer a highly flexible patching solution. Two versions are available? The Multimode version features Aligned-Key adaptors, whilst the Singlemode version supports angled MTP and offers Key-Up/Key-Down Adaptors.

The Modules can be inserted into the panel from the front and feature 2 physical stops, one installed and one for patching.

The panel also offers full and innovative patch cord management to the front and cable management to the rear.

#### **Product Specifications**

Feature	Values
Suitable for number of fibre cores	144
With coupling/adapter	yes
Type of connector external	MT/MPO
Type of connector interior	MT/MPO
Fibre type	Multi mode
Colour	Grey


Item Code: 208-137



#### **Additional specifications**

Features	Values
Number of MTP	12
Width	212.8mm
Height	12.4mm
Depth	287.3mm
Material	ABS UL94-V0
Colour	Grey
Operating temprature	-40 to +80 °C

#### **Product drawing**



Item Code: 208-137



#### **Standards**

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.
UK SI 2012 No. 3032  WFD: 2023  SCIP: 2023	(DEHP, BBP, DBP, DIBP) to Annex II — compliant.  The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.  Compliant to Waste Framework Directive  Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)  EU Regulation for the restriction of Persistent Organic

Item Code: 208-137



#### **Part Number Table**

Part Number	Description
208-137	Excel Enbeam High Density 12 Port MTP Coupler Cassette Aligned Key Multimode
208-138	Excel Enbeam High Density 12 Port MTP Coupler Cassette Key Up/Key Down Singlemode

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.