


Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Pigtails

Item Code: 208-164

excel
without compromise.



High density 12 LC cassette

Complete with splice protectors

Can be splices or direct terminated

Part of the Excel HD panel system

OS2 and OM4 options

Product Overview

The Excel LC High-Density cassette is designed for the Excel HD 208-157, 208-158 and 208-159 panels, which have the capacity to hold 144, 288 and 576 fibres. A full range of cassettes are offered and can be mixed and matched as required to offer a highly dense and flexible system LC connectivity.

Product Specifications

| Feature | Values |
|------------------------------------|------------|
| Suitable for number of fibre cores | 12 |
| With coupling/adaptor | yes |
| Type of connector external | LC |
| Type of connector interior | LC |
| Fibre type | Multi mode |
| Colour | Black |

Additional specifications

| Features | Values |
|------------------------|----------------------|
| Number of adaptors | 6 |
| Fibre type | OM4 |
| MM LC Typical/Max Loss | 0.15dB / 0.3dB |
| MM LC Return loss | Less than -30dB (PC) |

Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Pigtails

Item Code: 208-164




| | |
|-----------------------|--------------|
| Width | 84.6mm |
| Depth | 142mm |
| Height | 11.8mm |
| Material | ABS |
| Storage temperature | -20 to +85°C |
| Operating temperature | -20 to +85°C |

Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Pigtails

Item Code: 208-164



Product drawing



Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Pigtails

Item Code: 208-164



Standards

| Applicable standard | Detail |
|------------------------------------|--|
| IEC 61754-1:2013 | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance |
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

Part Number Table

| Part Number | Description |
|-------------|---|
| 208-164 | Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Pigtails |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.