# Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Pigtails

**Part Code: 208-164**

sales@excel-networking.com
excel-networking.com



## Main Features

- / High density 12 LC cassette
- / Can be splices or direct terminated
- / OS2 and OM4 options
- / Complete with splice protectors
- / Part of the Excel HD panel system

## Product Overview

The Excel LC High-Density cassette is designed for the Excel HD 208-157, 208-158 and 208-159 panels, which have the capacity to hold 144 , 288 and 576 fibres. A full range of cassettes are offered and can be mixed and matched as required to offer a highly dense and flexible system LC connectivity.

## Product Specifications

| Feature | Values |
|---|---|



This data sheet was generated at 2:49am 26th November 2026 and is subject to change at any time.

| | |
|---|---|
| Suitable for number of fibre cores | **12** |
| With coupling/adapter | **yes** |
| Type of connector external | **LC** |
| Type of connector interior | **LC** |
| Fibre type | **Multi mode** |
| Colour | **Black** |

## Additional specifications

| Features | Values |
|---|---|
| Number of adaptors | **6** |
| Fibre type | **OM4** |
| MM LC Typical/Max Loss | **0.15dB / 0.3dB** |
| MM LC Return loss | **Less than -30dB (PC)** |
| Width | **84.6mm** |
| Depth | **142mm** |
| Height | **11.8mm** |
| Material | **ABS** |
| Storage temprature | **-20 to +85°C** |
| Operating temprature | **-20 to +85°C** |


This data sheet was generated at 2:49am 26th November 2026 and is subject to change at any time.

## Product drawing



This data sheet was generated at 2:49am 26th November 2026 and is subject to change at any time.





This data sheet was generated at 2:49am 26th November 2026 and is subject to change at any time.

## Standards

| Applicable standard | Detail |
|---|---|
| IEC 61754-1:2013 | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance |
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Code Table

| Part Code | Description |
|---|---|
| 208-164 | **Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Pigtails** |


This data sheet was generated at 2:49am 26th November 2026 and is subject to change at any time.

# Excel Enbeam HD 6P-12F-LC-OM4 Cassette Loaded with Pigtails

**Part Code: 208-164**

sales@excel-networking.com
excel-networking.com



This data sheet was generated at 2:49am 26th November 2026 and is subject to change at any time.