

✗ Part of the Excel HD panel system

✗ OS2 and OM4 options

✗ MTP US-Conec Elite connectors

Product Overview

The Excel LC High-Density double width MTP pass through cassette is designed for the Excel HD 208-157-24, 208-158-24 and 208-159-24 panels. This cassette offers the ability to connect 12x MTP to 12x MTP

Product Specifications

Feature	Values
Suitable for number of fibre cores	144
With coupling/adapter	yes
Type of connector external	MTP
Type of connector interior	MTP
Fibre type	Multi mode
Colour	Black

Additional specifications

Features	Values
Number of adaptors	12
Fibre type	OM4
MM MTP Typical/Max Loss	0.1dB / 0.35dB
MM MTP Return loss	Less than -20dB
Width	200.2mm
Depth	124.9mm


Excel Enbeam HD 12 Port MTP Pass Through OM4 Cassette

Item Code: 208-168

excel
without compromise.

Height	11.8mm
Material	ABS
Storage temperature	-20 to +85°C
Operating temperature	-20 to +85°C

Product drawing



Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
WFD: 2023	Compliant to Waste Framework Directive

SCIP: 2023

Compliant - Does Not Contain Substances of Concern In
articles as such or in complex objects (Products)

POPs (EU) No 2019/1021

EU Regulation for the restriction of Persistent Organic
Pollutants.

Part Number Table

Part Number	Description
208-168	Excel Enbeam HD 12 Port MTP Pass Through OM4 Cassette

Excel is a world class premium performing end to end infrastructure solution designed,
Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.

excel
without compromise.